

# Anticipate the needs of your customers with flexibility and service levels of excellence



Each tinting system is composed by parts that need to be integrated with each other and, most of all, to be put into communication with the end user. The return on investment mainly depends on this operation's effectiveness. With **EuroFormulations4**, our Company fully reshapes its own software introducing some technological news which are unique in the scene of tinting.





**EuroFormulations4** comes from a project engineered by our Colorimetry and Software Development team, made of professionals that develop every day colorimetric solutions for architecture.

This is the guarantee of the full correspondance between our solutions and the real needs of the ones who make and use colors, paints and decoratives. above all, this means that you can have the chance to answer to the needs of your customers with flexibility and service levels which are at the top level of the market standards.

## Kelly colori E VERNICI INDUSTRIA COLORI E VERNICI

























#### **CONSULTATION FORMULAS**






#### **COLOR HARMONIES**





#### **PERSONAL FORMULAS**








#### **COLOR SEARCH**


The MySearch Module turns the tinting system from a product supplier to a **service dealer**. Your customers will be able to make custom colors with precision, speed and simplicity, thus eliminating the downtimes and the loss of sales. This will be done through the usage of hardware devices such as spectrocolorimeters and colorimeters from the main manufacturers, with a consistent setup cost reduction if compared with the old softwares based on the usage of spectrophotometers.





#### **QUALITY CONTROL**


Your most demanding customers deserve an offering fitting their advanced needs. With the MyQuality Module of **EuroFormulations** 4 you will be able to give them a tool for quality control which is reliable, precise and user friendly.






#### **COLORANTS STATISTIC**

EuroFormulations4 gives the possibility to see complete statistics regarding the usage of colorants and bases and regarding what kind of shades are mainly reproduced. The software allows you to manage a database of the customers and to relate them with the informations regarding the dosing activities, price lists, custom formulas.






#### **BASES STATISTIC**






#### **COLORS SPACE STATISTIC**





#### PRICE LIST PERSONALIZED







### Minimum requirements:

- CPU: i3 with frequency higher than 2Ghz;
- Ram: minimum 4Gb;
- HD space available: 4GB;
- Minimum monitor definition suggested: 1024x768px;
- Supported OS:Windows XP SP3, Windows Vista SP2, Windows 7 SP1, Windows 8, Windows 8.1 or higher.





#### 1. EuroFormulations 4 Licenses

EuroFormulations 4 is the new techniological platform for the world of architectural decorative coating, de-veloped to give to the end users simple yet powerful instrument to manage and control the whole tinting system. EuroFormulations 4 is compatible with dispensing machines (compatibility with a wide range of tinting machines from the main producers, e.g. Fast&Fluid, Corob, Tecmec, Hero etc.) and color-reading instruments.

License	Description		
Shop	Dedicated to the POS. The user can view and print (compatible with label printers) the formulas, create and manage price lists, create and manage a database of his		
	customer and relate them to the price lists or the dispensing activities. The dispens-		
	ing activities are saved in an historical archive. Connectable both with manual and automatic machines.		
Full	Dedicated to the advanced POS. Plus to the features of the Shop version, allows to		
	create personal formulas (in grams, milliliters, ounces). A statistic tool allows to have		
	an interactive overview on the usage of colorants, bases and shades.		





#### 2. EuroFormulations 4 Modules

EuroFormulations 4 is a platform designed to be potentiable through the implementation of vertical Modules. In a market where it is day after day more important the service level and the technological positioning of the solutions delivered, EuroFormulations 4 is the most complete instrument to apply winning strategies.

Module	Description				
MyBarcode*	Dedicated to the creation and the reading of barcodes. The Module does not allow to erogate the colorants if the barcode of the correct product/base has not been read.				

<sup>\*</sup> Requires a bar code reader.





Module	Description				
MySearch**	Dedicated to hogh-demanding end users, who want to be able to create custom colors in their shop. The color that shall be reproduce can be acquired from any source. The user-friendly interface will also display the complemetary colors.				
MyQuality**	Dedicated to those who want to make quality controls. For the sample and the standard colors are displaied complete informations (RGB, CIELab, XYZ, Ch), together with the comparison of the two colors ( $\Delta$ L, $\Delta$ a, $\Delta$ b, $\Delta$ C, $\Delta$ h, $\Delta$ E).				

<sup>\*\*</sup> Requires a a spectrocolorimeter (see point number 3).





#### 3. Hardware

Our offering is intended to give a wide and complete spectrum of choices to our customers and their final users, starting from the POS up to the internal laboratory.

	Datacolor Spyder	Datacolor Se- lect	X-Rite Cap- sure	X-Rite i1PRO
Usage level	Basic	Intermediate	Intermediate	Advanced
Precision	Basic	Medium	Medium	High
Туре	Colorimeter (45°/0°)	Colorimeter (45°/0°)	Colorimeter (45°/0°)	Colorimeter (45°/0°)
MySearch	√	√	Standard	√
MyQuality	√	√	Standard	√
PC I MyFormulas				
Standard white plate		√	√	√
Portability	√	√	√	√
XYZ - CIELAB	√	√	√	√
L*a*b* optimized		√		√





Datacolor Spyder Datacolor Select X-Rite Capsure X-Rite i1PRO







