

# kelly color



[www.kellycolor.it](http://www.kellycolor.it)

**PRICE LIST 60/2016**



# PRICE LIST

N° **60** LUGLIO 2016



**kelly color**  
INDUSTRIA COLORI E VERNICI

*colors love you.*

**kelly color** offers a broad range of products to the market. For over forty years, the lines proposed by our company respond satisfactorily and with the latest techniques of sector, with all the requirements of our customers: from the Applicator to the Resale. By applying, the search for the best raw materials, strict and continuous control of production processes and products from our technicians and an innovative Tinting System, have allowed Kelly Color to achieve a prestigious position in the domestic market of paints. Quality Certification **UNI EN ISO 9001** is a further recognition of the constant search quality and continuous renewal. This certification has made kelly color even more competitive in the market and for this reason was chosen as a supplier also to Public Organisations such as the prestige of the Italian Navy.



**NUOVI PRODOTTI**




**Gli Specialisti**



**TONALITY OF INTERIOR**



**TINTING SYSTEM**



**TONALITY OF INTERIOR**

**Kelly Color** for about twenty-five years has successfully produced paints and coatings for decoration: in 1991 it launched on the market, its first decorative paint called "Tricolor", a fabulous multi-colored matt coating, which was inspired by the product "Alfatone". Ever since then, our company has sensed the huge potential and the important development that these paintings would have had in the world of COLORS, both in the professional than in the Do-it-yourself market. All this for the need of persons to make their environments more and more unique and with precious and chromatic harmonies. Kelly Color today, has a range of 18 innovative decorative paints and coatings, high quality and easy to use (glazes, luminescent, pearlescent, metallic effects, silk finish, spatula marmorini etc.), for which it studied more than 50 applications and many others can be proposed, because these products do not set limits to imagination and creative abilities of people using them.

## GENERAL CONDITIONS OF SALE

Every order is considered valid, with our definite approval and is submitted to these present conditions which are taken as accepted in whole and unconditionally by the buyer. Any variations must be written in agreement

### PRICES

- The prices are considered VAT excluded.
- This price list supersedes all previous ones.
- The prices can be changed in any moment without notice

### ORDERS

- All orders are accepted at the unquestionable validation by Kelly Color
- The minimum order of the tax base in absolute value is **1.000 Euro**; any orders of lower will be shipped exclusively with the charge on the invoice the entire transport costs.
- The minimum order for the package is still the one shown in the column of the list under the heading "minimum units of sale".
- Kelly Color also reserves to reduce the quantity ordered and / or make partial deliveries.

### PRODUCT ON REQUEST

- For products on request (samples, special products etc.) the minimum quantities, prices and delivery times will be agreed from time to time.

### SAMPLE COLOURS

- For tints that are not present into the folders colors, you need the following minimum quantities:
  - a) **ENAMELS and SOLVENT PRODUCTS 300 Liters**
  - b) **PAINTS and COATINGS 200 Liters**
- The prices of sample colors will be as set by the price list in effect at the time the order with reference to the endorsements "Tints of Folder", "Special Tints", "Strong Tints" and "Super Tints" and in relation to the intensity of the color chosen: the company will give the reference of such prices or raise the price of the "Tints of Folder" of 20%.

### COLOURS TINTING SPECTROPHOTOMETER

- The dealer, before the sale to the user, is required to check the colors that Kelly Color Tinting System realizes. Possible shade differences, attributable to any cause, can be corrected before applying the product. Therefore, our society does not respond for any claims and not other liability of any kind.

### TRANSPORT AND CONDITIONS OF DELIVERY

- Goods travel at risk and responsibility of buyer even if sold «free delivered»
- The free port is granted only for orders over **1000 Euro**; for shipments of products below this parameter, the full amount inherent transport costs, will be invoiced.
- For each shipment a contribution is invoiced to the distribution costs of 2% on taxable goods
- It is the responsibility of the buyer to take back the goods at the courier; then in no case can be left lying at the latter. Any costs of storage are the responsibility of the buyer.
- Kelly Color reserves to choose the carrier without this constituting notwithstanding the preceding paragraph.
- The terms of delivery, even if agreed, are not binding; in any case are excluded compensation for damages or indemnity to various title for failing to respect the delivery time.

### COMPLAINTS AND RETURNS

- Any shortcoming, breakdowns, faults and defects of the packages should be informed immediately to the carrier in writing on the transport document, making it countersigned by the carrier.
- Countersigned copy transport document must be sent to our company to claim against the carrier.
- Claims for defects of goods will be admitted only if made in accordance with law (ART. 1495 CC).
- Kelly Color must first authorize in writing the complaint and then the returns that are within the aforesaid categories

### PAYMENTS

- We recognize liberators only payments made at the headquarters of our company or person with our authorization written.
- In addition to other remedies permitted under the applicable law and these General Terms and Conditions of Sale, the seller reserves the right to recover default interest on delayed payments starting from the due date, calculated at the official reference rate of the European Central Bank increased by 5 (five) basis points.
- If the buyer fails to take payments in the time and manner specified by the seller or the buyer business shall be operated beyond the ordinary course of business which shall
- Include, without limitation, when seizure or protest has been made, payments shall be delayed or insolvency proceedings shall have been petitioned or opened, the seller shall have the right to suspend or cancel, at its sole discretion, further delivery and to declare all its claims arising from the business relationship as immediately payable. Moreover the seller may in such event request for anticipation on the payments or a warranty deposit.
- The buyer shall have no right to make any compensation, retention or reduction unless the counterclaims have been conclusively determined by the court.

### PLACE OF JURISDICTION

For all controversies and disputes the place of jurisdiction is that of Perugia

# INDEX

	GENERAL CONDITION OF SALE	PAG. 00
	ENAMELS AND SPECIAL PAINTS	PAG. 01
	ECOLOGY LINE	PAG. 04
	VARNISHES FOR WOOD	PAG. 08
	IRON AND WOOD PRIMERS	PAG. 09
	WALL INTERIOR PAINTS	PAG. 11
	MILDEW RESISTANT / HUMIDITY RESISTANT LINE	PAG. 16
	WATERPROOFING BUILDING LINE	PAG. 17
	FILLERS	PAG. 19
	WALL PRIMERS	PAG. 20
	PLASTIC COATINGS	PAG. 22
	MINERAL PAINTS AND COATINGS	PAG. 24
	DECORATIVE PAINTS	PAG. 26
	SPECIAL PAINTS	PAG. 31
	STRUCTURAL SYSTEM	PAG. 32
	KELLY COLOR TINTING SYSTEM	PAG. 33
	AUXILIARY PRODUCTS FOR BUILDING	PAG. 36
	EXTRA PRODUCTS LIST	PAG. 37

# INDEX

PRODUCT	PAG.	PRODUCT	PAG.	PRODUCT	PAG.
ACRILFIX	21	KELLYFER	9	SILOX K 98 BASE	24
ADDITIVO N° 1	32	KELLYGLITTER	30	SILOX K 98 GRANULATO	24
ADDITIVO N° 2	32	KELLYGOOD	12	SILOX K 98 GRANULATO BASE	24
ANTARES PLUS	13	KELLYGOOD da Lt. 2,5	37	SILOX K 98 INTONACHINO	25
ANTARES PLUS BASE	13	KELLY PRIMER	9	SILOX K 98 INTONACHINO BASE	25
ARREDO CASA	30	KELLYSILICON ANTIPIOGGIA	18	SILOX K 98 VELATURA	28
ARREDO CASA BASE	30	KELLYSILICON EXPORT	18	SILOX K 98 VELATURA BASE	28
ATLANTIDE	8	KELLYSINT	1	SPARTITRAFFICO	31
BELLATRIX	4	KELLYSPOT	3	SPRINTKELLY	3
BELLATRIX BASE	4	KELLYSTUC	19	SPRINTKELLY BASE	3
BELLATRIX ANTICHIZZANTE	4	I TESORI DEL DESERTO	29	STADIO	37
BELLATRIX ANTICHIZZANTE BASE	4	I TESORI DEL DESERTO BASE	29	STADIO EXTRA	37
BELLATRIX FONDO OPACO	5	IDROLAV LX 85	13	STELLA	37
BELLATRIX FLATTING	6	IDROLAV LX 85 BASE	13	SUPERFOND AL TITANIO	21
BELLATRIX IMPREGNANTE	7	IDROREP JX 60	15	TEGUM	18
BELLATRIX IMPREGNANTE BASE	7	IDROREP JX 90	15	TEGUM BASE	18
BELLATRIX IMPREGNANTE CERA	7	IDROREP JX 90 BASE	15	TEGUM FONDO	18
BELLATRIX IMPREGNANTE CERA BASE	7	INDURENTE 1 (B)	32	TERRE DEL DUCA	28
BELLATRIX PAV	5	IMPREGNANTE	32	TERRE DEL DUCA BASE	28
BELLATRIX PAV BASE	5	ISOFIX	21	TESORI & FANTASIA	29
BELLATRIX PRIMER U	6	MARMOREUM	27	TESORI & FANTASIA BASE	29
BELLATRIX SATINATO	4	MARMOREUM BASE	27	TITANCOLOR MANO UNICA	15
BELLATRIX SATINATO BASE	4	MINERAL SILICAT	26	TITANCOLOR MANO UNICA BASE	15
BELLATRIX TERMO	5	MINERAL SILICAT BASE	26	TITANKELLY	11
BELLATRIX TURAPORI	7	MURAL GIPS	11	TITANKELLY BASE	11
BELLATRIX WALL	6	MURAL GIPS BASE	11	TITANKELLY da Lt. 2,5	37
BELLATRIX WALL BASE	6	MURAL GIPS FONDO	21	TRASFORMER	31
WHITE DI CALCE	37	NEWKELLY	12	TRASPIMUR ANTICONDENSA	16
CEMENTO WHITE	36	NITROFIS	10	TRASPIMUR ANTICONDENSA BASE	16
CEMENTO GRIGIO	36	OMBRA SERRE	37	TRASPIMUR PAINT	16
CEMENTO RAPIDO	36	OMBRA SERRE PLUS	37	TRASPIMUR PAINT BASE	16
CERA NATURALE	27	GOLD DEL DUCA	28	TRASPIMUR PLUS	16
COLLANTE PER PIASTRELLE	36	OTTOCENTO	2	TRASPIMUR PLUS ESTERNI	16
COLORANTI S.T.HBX	33	OTTOCENTO BASE	2	TRASPIMUR SPRAY	16
COLORANTI S.T.MISTO	33	PAINT	14	TUTT'UNO	2
ECOFIX NANO-TECH	20	PAINT PLUS	14	U.K.C. 2000	36
ECOFIX PIGMENTATO	20	PLASTIC PROP	19	VETRIX	31
FLATTING MARE	8	PLIOKELLY	31	WASHKELLY	14
FUTURA	11	PRIMAVERA	12	WASHKELLY BASE	14
FUTURA BASE	11	PRIMER DEL DUCA	28	WASHKELLY PLUS	14
GESSO ALABASTRINO	36	PRIMER SILICAT	26	ZINCOPLAST	2
GUAINGUM	17	PRIMER EM	27		
GUAINGUM FIBRATO	17	PRIMER I TESORI DEL DESERTO	29		
KELLYWOOD IMPREGNANTE	8	PRIMER MARE	9		
KELLYWOOD IMPREGNANTE BASE	8	QUARZO 2000 LISCIO	23		
KELLYWOOD IMP. CERATO	8	QUARZO 2000 LISCIO EXP.	37		
KELLYWOOD IMP. CERATO BASE	8	QUARZO 2000 MEDIO L/R	23		
KELLYBASE	10	QUARZO 2000 MEDIO L/R BASE	23		
KELLYBIT	1	QUARTZ K 97	22		
KELLYBIT BASE	1	QUARTZ K 97 BASE	22		
KELLYBIT OPACO	1	QUARTZ K 97 INTONACHINO ANTIALGA	22		
KELLYBIT OPACO BASE	1	QUARTZ K 97 INT. ANTIALGA BASE	22		
KELLY ELASTIC BT	17	RASAMUR NTK	19		
KELLYEPOQUE	26	RASASTUC	19		
KELLYEPOQUE BASE	26	RESINA BASE	32		
KELLYEPOQUE SPATOLA	27	RUBBER PRIMER	20		
KELLYEPOQUE SPATOLA BASE	27	SILOX K 98	24		



# ENAMELS AND SPECIAL PAINTS

## KELLYSINT

### SUPERIOR-QUALITY ENAMEL

It is a quality enamel based on special alkyd resins and lightfast outdoor-resistant pigments. It features an outstanding colorfastness, gloss, elasticity, adherence together with good anticorrosive properties and scratch resistance. KellySint is the perfect product for top-class finishes on interior/exterior iron and woodwork.



SIZE( LITERS )		0,125	0,750	2,5		16
MINIMUM UNITS OF SALE		12	6	2		1
348-334-314 318-311 ALLUMINIUM	€ Liter	36,00				
	€ Size	4,50				
WHITE BLACK	€ Liter		21,87	20,76		18,42
	€ Size		16,40	51,90		294,70
COLORS FOLDER AND ALUMINIUM	€ Liter		22,53	21,40		19,10
	€ Size		16,90	53,50		305,60
GOLD	€ Liter	42,00	14,27	23,12		
	€ Size	5,25	18,20	57,80		

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: synthetic thinner  
COVERAGE: 11-13 m<sup>2</sup>/lt one coat  
REFERENCE COLORS CARD: Gli Smalti

## KELLYBIT

### MULTI-USE SYNTETIC ENAMEL

It is a synthetic enamel based on alkyd resins and lightfast pigments. It features a good gloss and hiding power and corrosion protection. KellyBit is ideal for finishing both interior and exterior iron or woodwork.



SIZE( LITERS )		0,375	0,750	2,5		16
MINIMUM UNITS OF SALE		6	6	2		1
COLORS FOLDER AND WHITE	€ Liter	23,20	18,80	16,92		14,07
	€ Size	8,70	14,10	42,30		225,20
RAL COLORS AND TINT'ARREDO COLORS	€ Liter		25,73	24,52		21,57
	€ Size		19,30	61,30		345,20
BASE P	€ Liter		18,53	16,88		13,37
	€ Size		13,90	42,20		213,90
BASE M	€ Liter		17,20	15,56		12,05
	€ Size		12,90	38,90		192,80
BASE A	€ Liter		14,67	12,96		10,19
	€ Size		11,00	32,40		163,00

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: synthetic thinner  
COVERAGE: 9-12 m<sup>2</sup>/lt one coat  
REFERENCE COLORS CARDS: Gli Smalti; Ral, Tint'Arredo

## KELLYBIT OPACO

### MULTI-USE SYNTETIC SATIN ENAMEL

Good coverage, easy to apply, silked finish



MINIMUM UNITS OF SALE			0,750	2,5		16
MINIMUM UNITS OF SALE			6	2		1
WHITE BLACK	€ Liter		19,20	17,36		14,51
	€ Size		14,40	43,40		232,20
RAL COLORS AND TINT'ARREDO COLORS	€ Liter		27,20	25,48		22,53
	€ Size		20,40	63,70		360,50
BASE P	€ Liter		21,87	20,16		17,01
	€ Size		16,40	50,40		272,10
BASE M	€ Liter		20,53	18,84		15,68
	€ Size		15,40	47,10		251,00
BASE A	€ Liter		16,13	14,44		11,74
	€ Size		12,10	36,10		187,90

FIELDS OF APPLICATION: exterior and interior  
APPLICATION: brush, roll or spray  
DILUTION: synthetic thinner  
COVERAGE: 9-12 m<sup>2</sup>/lt one coat  
REFERENCE COLORS CARDS: Ral, Tint'Arredo

# ENAMELS AND SPECIAL PAINTS

## OTTOCENTO



### ANTIQUING MICACEOUS PAINT FOR IRON

Satin-finish iron/micaceous synthetic paint with outstanding anti-corrosion power, to achieve an antiqued effect. Suitable for painting and protecting grates, gates, fences, materials and objects made of wrought iron.



SIZE( LITERS )		0,750	2,5	16
MINIMUM UNITS OF SALE		6	2	1
GREY SILVER	€ Liter	22,66	21,44	17,95
	€ Size	17,00	53,60	287,30
TINTING SYSTEM COLORS	€ Liter	26,00	24,52	20,05
	€ Size	19,50	61,30	320,90
BASE G.FINE /G.LARGE	€ Liter	24,40	22,96	19,34
	€ Size	18,30	57,40	309,50

FIELDS OF APPLICATION: exterior  
APPLICATION: brush or spray  
DILUTION: synthetic thinner  
COVERAGE: 8-12 m²/lit one coat  
REFERENCE COLORS CARDS: Ottocento

## TUTT'UNO

### ALL-IN-ONE RUSTPROOFING ENAMEL

Does not drip and can be applied directly on iron surfaces without rusty. Can be used on wood, zinc sheet iron, etc.



SIZE( LITERS )		0,750	2,5	16
MINIMUM UNITS OF SALE		6	2	1
WHITE AND COLORS FOLDER	€ Liter	24,80	23,96	19,47
	€ Size	18,60	59,90	311,60

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: synthetic thinner  
COVERAGE: 9-10 m²/lit one coat  
REFERENCE COLORS CARD: Gli Smalti

## ZINCOPLAST

### ZINC SHEET IRON ENAMEL VARNISH

It is a satin enamel extremely adherent and does not scale with time. It is applied with a single coat, for painting iron, zinc sheet, aluminium, reinforced concrete, fibrate concrete. It is water-resistant.



SIZE( LITERS )		0,750	2,5	16
MINIMUM UNITS OF SALE		6	2	1
648 WHITE 634 BLACK 611 BROWN 625 GREEN 629 GREY M.	€ Liter	22,27	21,68	18,94
	€ Size	16,70	54,20	303,00

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: synthetic thinner  
COVERAGE: 8-12 m²/lit one coat



# ENAMELS AND SPECIAL PAINTS

## SPRINTKELLY



### QUICK DRYING ENAMEL

It is a synthetic enamel based on modified alkyd-resins and light-fast coloured pigments. Such components offer exceptionally fast air drying, elasticity, adherence and colour stability. Sprintkelly provides a full, hard, glossy and highly covering film which also resists weather agents, fuels and lubricating oils. It is ideal for top quality finishes on interior/exterior metal end items (agricultural machines, industrial vehicles, pumps, compressors, shelving, scaffolding, carpentry etc.). Excellent for heating radiators.



SIZE( LITERS )		0,750	2,5	16
MINIMUM UNITS OF SALE		6	2	1
WHITE BLACK	€ Liter	18,93	17,48	14,01
	€ Size	14,20	43,70	224,20
COLORS FOLDER	€ Liter	22,93	20,84	17,89
	€ Size	17,20	52,10	286,20
RAL COLORS AMBIANCE COLORS	€ Liter	26,93	25,08	22,23
	€ Size	20,20	62,70	355,70
BASE P	€ Liter	20,27	19,60	15,34
	€ Size	15,20	49,00	245,50
BASE M	€ Liter	18,93	17,92	14,25
	€ Size	14,20	44,80	228,00
BASE A	€ Liter	16,93	15,36	11,69
	€ Size	12,70	38,40	187,10

SPRINTKELLY SATIN: surcharge + 5%

\* Listings for this size will be made from time to time, depending on the selected tint

FIELDS OF APPLICATION: exterior

APPLICATION: spray (for professional use)

DILUTION: nitro thinner

COVERAGE: 12-5 m<sup>2</sup>/lt one coat

REFERENCE COLORS CARDS: Sprintkelly; Ral; Tint'Arredo

## KELLYSPOT

### HAMMERED-EFFECT ENAMEL

Special shiny enamel with a hammered effect, excellent surface hardness and high resistance to heat. It offers good coverage of any surface flaws. It is ideal for painting machine tools, scientific and electrical equipment, boilers, metal shelving and office furniture.



SIZE( LITERS )		0,750	2,5	16
MINIMUM UNITS OF SALE		6	2	1
COLORS FOLDER	€ Liter	19,20	18,24	14,88
	€ Size	14,40	45,60	238,20

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush or spray (for professional use)

DILUTION: nitro thinner

COVERAGE: 13-15 m<sup>2</sup>/lt one coat

REFERENCE COLORS CARD: Gli Smalti

## BELLATRIX



### WATER GLOSS ENAMEL

It is a high-quality waterborne product based on acrylic resins in aqueous dispersion and light high stability colouring pigments. The acrylic resins making up the product give it excellent outdoor resistance, a good degree of light fastness and good filling power, dilatation and adhesion to a wide range of surfaces: iron, steel, galvanized sheeting, light alloys, on woodwork, plastic and wall surfaces. It does not contain any substances which damage health, it is odourless and not flammable. It is easy to apply and features extremely short drying times. The product may be tinted by means of the Kelly Color Tinting System.



SIZE( LITERS )		0,500	0,750	2,5	15
MINIMUM UNITS OF SALE		6	6	2	1
WHITE - BLACK BASE P	€ Liter	26,60	22,53	20,76	18,23
	€ Size	13,30	16,90	51,90	273,40
COLORS FOLDER	€ Liter	NEW 31,20	27,33	24,56	22,05
	€ Size	15,60	20,50	61,40	330,80
RAL COLORS TINT'ARREDO COLORS	€ Liter	NEW 32,80	28,93	26,68	24,15
	€ Size	16,40	21,70	66,70	362,30
BASE M	€ Liter	NEW 25,80	21,47	19,72	17,19
	€ Size	12,90	16,10	49,30	257,90
BASE A	€ Liter	NEW 24,40	20,53	17,36	14,83
	€ Size	12,20	15,40	43,40	222,50

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: water - max 5%

COVERAGE: 12-14 m<sup>2</sup>/lt one coat

REFERENCE COLORS CARDS: Bellatrix; Ral; Tint'Arredo

## BELLATRIX SATINATO



### WATER SATIN ENAMEL

It is a waterborne satin product based on acrylic resins in aqueous dispersion and light high stability colouring pigments. The acrylic resins making up the product give it excellent outdoor resistance, a good degree of light fastness and good filling power, dilatation and adhesion to a wide range of surfaces: iron, steel, galvanized sheeting, light alloys, on woodwork, plastic and wall surfaces. It does not contain any substances which damage health, it is odourless and not flammable. It is easy to apply and features extremely short drying times. The product may be tinted by means of the Kelly Color Tinting System.



SIZE( LITERS )		0,500	0,750	2,5	15
MINIMUM UNITS OF SALE		6	6	2	1
WHITE - BLACK BASE P	€ Liter	29,80	23,86	22,80	20,27
	€ Size	14,90	18,80	57,00	304,10
RAL COLORS TINT'ARREDO COLORS	€ Liter	NEW 36,00	29,86	27,24	24,71
	€ Size	18,00	22,40	68,10	370,70
BASE M	€ Liter	NEW 29,00	23,87	22,12	19,59
	€ Size	14,50	17,90	55,30	293,90
BASE A	€ Liter	NEW 26,20	17,90	18,60	16,12
	€ Size	13,10	16,30	46,50	241,80

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: water - max 5%

COVERAGE: 12-14 m<sup>2</sup>/lt one coat

REFERENCE COLORS CARDS: Bellatrix; Ral; Tint'Arredo

## BELLATRIX ANTICHIZZANTE



### WATER SOLUBLE ACRYLIC PROTECTOR WITH A MICACEOUS EFFECT

It is an acrylic resin and lamellar extender based top coat which protects and decorates metallic supports. Its special formulation produces a barrier effect thanks its particular lamellar structure creates parallel extended layers inside the film, which block the penetration of water and atmospheric agents. Besides the micaceous iron oxide and aluminium present in the product prevent ultraviolet radiation from reaching the underneath layers, delaying the deterioration of the binder. For its aesthetic characteristics the product can be employed on various surfaces in order to create fine aesthetic effects. The product may be tinted by means of the Kelly Color Tinting System.



SIZE( LITERS )			0,750	2,5	15
MINIMUM UNITS OF SALE			6	2	1
TINTING SYSTEM COLORS	€ Liter		26,27	24,32	21,86
	€ Size		19,70	60,80	327,90
BASE GRANA FINE	€ Liter		25,06	22,56	20,03
	€ Size		18,80	56,40	300,50

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: ready to use

COVERAGE: 10-12 m<sup>2</sup>/lt one coat

REFERENCE COLORS CARDS: Ottocento

## BELLATRIX PAV



### WATER-BASED ACRYLIC FINISH FOR CEMENT FLOORS

Single-component finish with low thickness for indoor/outdoor cement floors. The formulation is based on acrylic resins in aqueous dispersion and coloured pigments that are highly resistant to light and yellowing, thus making Bellatrix Pav ideal for warehouses, exhibition halls, showrooms, waiting rooms, home garages. The product is also suitable for painting indoor walls offering good abrasion resistance and mechanical performances, and is easily cleaned. The product may be tinted by means of the Kelly Color Tinting System.



SIZE( LITERS )		0,750	2,5	15
MINIMUM UNITS OF SALE		6	2	1
GREY OXIDE RED	€ Liter	22,80	21,00	18,53
	€ Size	17,10	52,50	277,90
RAL COLORS	€ Liter	32,27	30,24	26,50
	€ Size	24,20	75,60	397,50
BASE P	€ Liter	26,80	22,88	19,38
	€ Size	20,10	57,20	290,70
BASE M	€ Liter	24,80	21,68	18,18
	€ Size	18,60	54,20	272,70
BASE A	€ Liter	22,80	19,76	16,58
	€ Size	17,10	49,40	248,70

FIELDS OF APPLICATION: interior  
APPLICATION: brush, roll or spray  
DILUTION: water - max 5%  
COVERAGE: 8-10 m<sup>2</sup>/lt one coat  
REFERENCE COLORS CARDS: RAL

## BELLATRIX TERMO

### WATER DILUTABLE SATIN FINISH TOP COAT FOR HEATING RADIATORS

It is a top coat paint based on acrylic resin in aqueous dispersion for creating satin finishes on heating elements; it is odourless so it can be used in interior. The product is formulated in such a way as to be resistant against high temperatures without undergoing heat deterioration, and so as to provide easy hiding power even on corners and edges. The water-based acrylic resins make it highly washable, light fast and provide good adhesion to a wide range of surfaces. It is easy to apply and features extremely short drying times.



SIZE( LITERS )		0,750	2,5	15
MINIMUM UNITS OF SALE		6	2	1
WHITE ICE WHITE	€ Liter	24,67	23,92	21,39
	€ Size	18,50	59,80	320,90

FIELDS OF APPLICATION: interior  
APPLICATION: brush, roll or spray  
DILUTION: water - max 5%  
COVERAGE: 12-14 m<sup>2</sup>/lt one coat

## BELLATRIX FONDO OPACO

### MATT WATER DILUTABLE BASE COATING

It is a satin water-based primer for exterior and interior use, based on acrylic resin in aqueous dispersion, which can be used wherever the hiding and levelling power of the finishing product is to be enhanced, assuring painting with greater filling power. In order to fully meet the requirements of this particular use, the product features excellent filling power and proves easy to apply, with good dilatation. Once applied, the dry film can easily be sanded in order to provide the finishing product with a solid base to adhere to.



SIZE( LITERS )		0,750	2,5	15
MINIMUM UNITS OF SALE		6	2	1
WHITE	€ Liter	20,27	19,08	15,58
	€ Size	15,20	47,70	233,70

FIELDS OF APPLICATION: exterior - interior  
APPLICATION: brush, roll or spray  
DILUTION: water - max 5%  
COVERAGE: 10-14 m<sup>2</sup>/lt one coat

## BELLATRIX PRIMER U

### UNIVERSAL WATER-BASED ANTI-RUST PRIMER

Single component anti-rust waterborne primer with a modified acrylic resin and with zinc phosphate pigment for protection/preserving against rust. Specifically for iron, cast iron, galvanized sheet iron and light alloys, it has excellent adhesion for wood, plastic, rigid PVC etc. Besides the product has a high capacity to fill and cover edges.



SIZE( LITERS )		0,500	0,750	2,5		15
MINIMUM UNITS OF SALE		6		2		1
WHITE	€ Liter	NEW 25,20	21,47	19,88		17,35
	€ Size	12,60	16,10	49,70		260,30

FIELDS OF APPLICATION: exterior - interior  
APPLICATION: brush, roll or spray  
DILUTION: water - max 5%  
COVERAGE: 16 m²/lt one coat

## BELLATRIX WALL



### ODORLESS WATER-BASED FINISH FOR LARGE SURFACES

It is a water-based top coat paint for interior and exterior use, particularly suitable for treating large surface areas in hospitals, schools, nursery schools, and any other places where high standards, with respect to hygiene and health, must be guaranteed through frequent washing. Bellatrix Wall was formulated with this purpose in mind, ensuring the whole surface can be washed, providing it with good breathability, as well as featuring very short drying times and a high level of hiding power. The product may be tinted by means of the Kelly Color Tinting System.



SIZE( LITERS )					5	15
MINIMUM UNITS OF SALE				1		1
SATIN WHITE GLOSSY WHITE BASE P S/L	€ Liter				17,10	16,18
	€ Size				85,50	242,70
PASTEL COLORED	€ Liter				18,32	17,40
	€ Size				91,60	261,00

FIELDS OF APPLICATION: interior  
APPLICATION: brush, roll or spray  
DILUTION: water - max 5%  
COVERAGE: 12-14 m²/lt one coat  
REFERENCE COLORS CARD: Tint'Arredo

## BELLATRIX FLATTING

### PROTECTIVE TRANSPARENT WATER DILUTABLE GLOSSY ODORLESS VARNISH

It is a water-based transparent glossy varnish, free of solvents, created for wood surfaces exposed to extreme weather conditions. Its particular formula eliminates any possibility of scarring or chalking.



SIZE( LITERS )			0,750	2,5		20
MINIMUM UNITS OF SALE		6		2		1
COLORLESS	€ Liter		21,07	20,04		16,36
	€ Size		15,80	50,10		327,20

FIELDS OF APPLICATION: exterior - interior  
APPLICATION: brush, roll or spray  
DILUTION: water - max 5%  
COVERAGE: 10 m²/lt one coat

## BELLATRIX IMPREGNANTE



### ODORLESS PROTECTIVE COATING FOR OUTDOOR/INDOOR USE

It is a water-based product, with an acrylic resin base featuring a high throwing power, for impregnating and protecting interior and exterior woodwork. The product provides excellent outdoor resistance thanks to the special acrylic binder of which it is composed, which is capable of penetrating the surface and remaining unaltered despite the natural structural variations of the wood. Bellatrix Impregnante enables the woodwork to be protected against ultraviolet light, degradant agents, thanks to the presence of micronized mineral pigments and particularly additives. The product may be tinted by means of the Kelly Color Tinting System.



SIZE( LITERS )		0,750	2,5		20
MINIMUM UNITS OF SALE		6	2		1
COLORLESS BASE COLORLESS	€ Liter	16,93	15,32		12,00
	€ Size	12,70	38,30		240,00
COLORS FOLDER TINTING SISTEM COLORS	€ Liter	18,80	17,68		13,82
	€ Size	14,10	44,20		276,30

FIELDS OF APPLICATION: exterior - interior  
APPLICATION: brush, roll or spray  
DILUTION: ready to use  
COVERAGE: 10-12 m<sup>2</sup>/lt one coat  
REFERENCE COLORS CARD: I colori del legno

## BELLATRIX IMPREGNANTE CERA



### WATER BASED PROTECTIVE HYDROPHOBIC VELVET

It is a transparent colourless or pigmented protective for wood. Not only is the film protected against mould and fungi growth but it also filters UV radiation. It features a good penetration, remarkable elasticity, water repellence with a good water vapour permeability. Bellatrix Impregnante Cera is formulated with particular transparent pigments which enhance wood's natural beauty. It does not contain dangerous substances, it is flameproof, odourless, therefore particularly suitable for use in poorly aired interiors. Its specific for the protection and decoration of interior/exterior wooden end items (matchboard, facades, lofts, balconies etc). The product may be tinted by means of the Kelly Color Tinting System.



SIZE( LITERS )		0,750	2,5		20
MINIMUM UNITS OF SALE		6	2		1
COLORLESS BASE COLORLESS	€ Liter	19,07	17,36		13,58
	€ Size	14,30	43,40		271,60
COLORS FOLDER TINTING SISTEM COLORS	€ Liter	20,40	19,44		15,39
	€ Size	15,30	48,60		307,80

FIELDS OF APPLICATION: exterior - interior  
APPLICATION: brush, roll or spray  
DILUTION: ready to use  
COVERAGE: 10-12 m<sup>2</sup>/lt one coat  
REFERENCE COLORS CARD: I colori del legno

## BELLATRIX TURAPORI

### ODORLESS WATER-BASED SANDABLE PRIMER

It is a water-based resin filler that can be sanded dry for priming new wood surfaces.



SIZE( LITERS )		0,750	2,5		20
MINIMUM UNITS OF SALE		6	2		1
COLORLESS	€ Liter	22,93	21,48		17,43
	€ Size	17,20	53,70		348,60

FIELDS OF APPLICATION: interior  
APPLICATION: brush, roll or immersion  
DILUTION: water - max 5%  
COVERAGE: 12-14 m<sup>2</sup>/lt one coat



# VARNISHES FOR WOOD

## KELLYWOOD IMPREGNANTE



### COLOURED TRANSPARENT PROTECTIVE IMPREGNATING AGENT FOR WOOD

NEW FORMULA

It is a colourless transparent or pigmented matt protective product which ennoble wood with fine shades. Deep penetrating it protects wood from plant and animal micro-organisms (particularly blue fungus) thus preventing staining of wood.



SIZE( LITERS )		0,750	2,5	5	25
MINIMUM UNITS OF SALE		6	2	1	1
COLORLESS	€ Liter	13,87	13,16	11,90	10,16
BASE COLORLESS	€ Size	10,40	32,90	59,50	254,00
COLORS FOLDER	€ Liter	15,47	14,56	13,18	11,44
	€ Size	11,60	36,40	65,90	286,10
NEW COLORED tinting system	€ Liter	17,20	16,28	14,90	13,16
	€ Size	12,90	40,70	74,50	329,10

FIELDS OF APPLICATION: exterior - interior  
APPLICATION: brush or spray  
DILUTION: ready to use  
COVERAGE: 8-10 m²/lit one coat  
REFERENCE COLORS CARD: I colori del legno

## KELLYWOOD IMPREG. CERATO



### WAXED PROTECTIVE PRODUCT

NEW FORMULA

It is a colourless transparent or pigmented protective product for wood based on synthetic resins and wax, transparent pigments and particular substances which impede decaying by filtering UV radiation. Such components give the product a number of pluses such as: impregnating action, hydrophobic properties, anti UV action, mould resistance and enhancing effect. This product is an optimum finish that ennoble and enhances the natural beauty of both interior and exterior wooden like doors, door/window frames and fixtures, garrets, balconies, fences, garden furniture etc.



SIZE( LITERS )		0,750	2,5	5	25
MINIMUM UNITS OF SALE		6	2	1	1
COLORLESS	€ Liter	15,60	14,96	13,50	11,89
BASE COLORLESS	€ Size	11,70	37,40	67,50	297,30
COLORS FOLDER	€ Liter	16,80	16,08	14,54	12,79
	€ Size	12,60	40,20	72,70	319,80
NEW COLORED tinting system	€ Liter	18,53	17,64	16,26	14,52
	€ Size	13,90	44,10	81,30	363,10

FIELDS OF APPLICATION: exterior  
APPLICATION: brush or spray  
DILUTION: ready to use  
COVERAGE: 8-10 m²/lit one coat  
REFERENCE COLORS CARD: I colori del legno

## FLATTINGMARE

### GLOSSY VARNISH FOR BOATS

It is a transparent varnish for wood based on precious resins selected which lend ad exceptional resistance to atmospheric agents. Flattimgmare is easy to apply, spreads perfectly forming a hard, full and glossy film which preserves elasticity and adherence even when exposed to sun radiation and saltiness. It's specific for the protection and decoration of wooden structures on boats and wooden surfaces exposed to marine/mountainous atmospheric agents or radiation.



SIZE( LITERS )		0,500	1	2,5
MINIMUM UNITS OF SALE		6	6	2
COLORLESS	€	24,80	20,80	19,36
	€	12,40	20,80	48,40

FIELDS OF APPLICATION: exterior  
APPLICATION: brush or spray  
DILUTION: synthetic thinner - Min. 10% / Max. 20%  
COVERAGE: 12-14 m²/lit one coat

## ATLANTIDE

### GLOSSY VARNISH FOR BOATS

High quality glossy varnish in natural wood colors and transparent. Gives wood a deeper color highlighting its veins.



SIZE( LITERS )		0,500	0,750	2,5	25
MINIMUM UNITS OF SALE		6	6	2	1
COLORLESS	€ Liter	20,20	18,40	15,92	11,26
	€ Size	10,10	13,80	39,80	281,40
WALNUT DARK WALNUT MAHOGANY	€ Liter	19,47	17,96		13,30
	€ Size	14,60	44,90		332,50

FIELDS OF APPLICATION: exterior  
APPLICATION: brush or spray  
DILUTION: synthetic thinner  
COVERAGE: 10 m²/lit one coat  
REFERENCE COLORS CARD: I colori del legno



# IRON AND WOOD PRIMERS

## PRIMER MARE

### UNIVERSAL CORROSION PROOF EPOXY PRIMER

Two part primer specifically for iron, steel and light alloy surfaces. Used as primer in cycles one-component and two-components, also ideal as a primer for wooden boats and structures cast iron.



SIZE (LITERS)		0,750	2,5		
MINIMUM UNITS OF SALE		6 KIT A+B	2 KIT A+B		
GREY	€ Liter	46,80	35,80		
	€ Size	35,10	89,50		

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: nitro thinner

COVERAGE: 9-10 m<sup>2</sup>/lt one coat

## KELLY PRIMER

NEW

### MONOCOMPONENT ANTICORROSIVE CLINGING PRIMER

It has been devised to resolve the problem of adhesion on difficult surfaces such as zincked iron, brass, aluminium, cast iron and metal surfaces in general. Adhesion on plastics (prior testing) is also optimum. The anticorrosive properties are guaranteed by the remarkable amount of active pigments. The particular blend of resins make the product highly recoatable with a wide range of enamels (synthetics, rapid drying and water based enamels). KELLY PRIMER is a universal filler coat which offers a remarkable adhesion, rapid drying, good covering power and versatile application



SIZE (LITERS)		0,500	2,5	16
MINIMUM UNITS OF SALE		6	2	1
GREY	€ Liter	21,80	18,04	15,44
	€ Size	10,90	45,10	247,10

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: synthetic thinner

COVERAGE: 9-10 m<sup>2</sup>/lt one coat

## KELLYFER

### SYNTHETIC RUST-INHIBITOR WITH ZINC PHOSPHATE

It is a synthetic rust inhibitor based on alkyd resins and zinc phosphate. It features remarkable hiding power, outstanding flow and ease of application. Its ideal for corrosion protection on any kind of ironwork, especially when brush application is required (gates, railings, radiators etc.).



SIZE (LITERS)		0,500	2,5	16
MINIMUM UNITS OF SALE		6	2	1
ORANGE GREY RED OX	€ Liter	17,40	12,36	10,05
	€ Size	8,70	30,90	160,80

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: synthetic thinner

COVERAGE: 8-10 m<sup>2</sup>/lt one coat

# IRON AND WOOD PRIMERS

## NITROFIS

### QUICK DRYING RUST PREVENTER-NITRO PAINT UNDERCOAT

Quick drying synthetic rust resistant primer. Withstands successive layers of nitrocellulose, chIGOLDgum and quick drying enamel finishes



SIZE (LITERS)		0,500		2,5		16
MINIMUM UNITS OF SALE		6		2		1
GREY RED OX.	€ Liter	18,60		13,44		10,78
	€ Size	9,30		33,60		172,50

FIELDS OF APPLICATION: exterior  
APPLICATION: spray or immersion (for professional use)  
DILUTION: nitro thinner  
COVERAGE: 8-10 m<sup>2</sup>/lt one coat

## KELLYBASE

### EXTRA MATT PRIMER

It is a filler coat based on synthetic resins. It dries rapidly, spreads well and sanding is excellent. It is a perfect dressing primer for wooden surfaces. It can also be used as a filler coat for interior and items in cast iron (radiators) treated with rust inhibitors.



SIZE (LITERS)		0,500		2,5		16
MINIMUM UNITS OF SALE		6		2		1
WHITE	€ Liter	19,00		15,24		12,25
	€ Size	9,50		38,10		196,00

FIELDS OF APPLICATION: exterior - interior  
APPLICATION: brush, roll or spray  
DILUTION: synthetic DILUTION  
COVERAGE: 8 m<sup>2</sup>/lt one coat

## MURAL GIPS



### EMULSION PAINT FOR PLASTERBOARD

It is a quality emulsion paint with a remarkable covering power and optimum "grade" of white. The extraordinary applicability makes it particularly suitable for application directly on difficult surfaces such as chalk, plasterboard, civil lime plaster and substrates characterized by pGOLDSity and high absorption. Easy to use - Muralgips - offers good spreading and excellent coverage, so it can be considered a paint "One Coat". It is odourless and produces an aesthetically smooth matt finish. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)					5	15
MINIMUM UNITS OF SALE					1	1
WHITE	€ Liter				6,30	5,34
	€ Size				<b>31,50</b>	<b>80,10</b>
BASE P	€ Liter				6,88	6,16
	€ Size				<b>34,40</b>	<b>92,40</b>
COLORED	€ Liter				7,46	6,73
	€ Size				<b>37,30</b>	<b>101,00</b>
SPECIAL TINTS*	€ Liter					
	€ Size					

\* **SPECIAL TINTS:** 1015P - 1021P - 1061P - 1065P - 1095P - 1115P - 1135P - 1235P - 3135 P - 3145P - 4155P - 4161P - 5061P - 5081P - 5131P - 7015P - 7031P - 7061P - 7075P - 7081P - 7151P - 7171P - 7185P

FIELDS OF APPLICATION: interior  
APPLICATION: brush, roll or spray  
DILUTION: water – Max 20%  
COVERAGE: 10-12 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT  
REFERENCE COLORS CARD: Tint'Arredo

## FUTURA



### PROFESSIONAL BREATHABLE WATER-BASED PAINT FOR INDOOR

It realizes finishes with matt outward, with particular pGOLDSity that ensures an excellent water vapor permeability and a low dirt retention. Futura has a low content of volatile compounds and is free of formaldehyde and plasticizers added, resulting specific for painting indoors. Its formulation gives it particular features such as ease of application, excellent coverage and a high whiteness. The high opacity makes it suitable for application on surfaces with different absorption. Futura, differently from traditional paints based on aqueous dispersion, does not require long aeration before re-inhabiting the environment. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)					5	15
MINIMUM UNITS OF SALE					1	1
WHITE	€ Liter				4,84	3,87
	€ Size				<b>24,20</b>	<b>58,00</b>
BASE P	€ Liter				5,94	5,14
	€ Size				<b>29,70</b>	<b>77,10</b>
COLORED	€ Liter				6,30	5,37
	€ Size				<b>31,50</b>	<b>80,60</b>
TINTE SPECIAL*	€ Liter					
	€ Size					

\* **SPECIAL TINTS:** 3135P - 3145P - 4161P - 5131P - 7031P - 7061P

FIELDS OF APPLICATION: interior  
APPLICATION: brush, roll or spray  
DILUTION: water – Max 30%  
COVERAGE: 12 -14 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT  
REFERENCE COLORS CARD: Tint'Arredo

## TITANKELLY



### SEMI-WASHABLE FINE WATERPAINT

It is a semi washable fine waterpaint specially formulated for professional users as it features properties such as high hiding power, ease of application, excellent "whiteness", good flow, and also gives the surface a uniform mat finish. Titankelly is suitable for surfaces in contact with water vapour (bathrooms, kitchens, public premises) thanks to a bactericidal high yield. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)					4	14
MINIMUM UNITS OF SALE					4	1
WHITE	€ Liter				3,68	2,86
	€ Size				<b>14,70</b>	<b>40,10</b>
BASE P	€ Liter				4,18	3,20
	€ Size				<b>16,70</b>	<b>44,80</b>
COLORED	€ Liter				3,80	3,01
	€ Size				<b>15,20</b>	<b>42,10</b>
BASE P	€ Liter					
	€ Size					

FIELDS OF APPLICATION: interior  
APPLICATION: brush, roll or spray  
DILUTION: water – Max 30%  
COVERAGE: 11 -13 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT  
REFERENCE COLORS CARD: Tint'Arredo

# WALL INTERIOR PAINTS

## PRIMAVERA

### SEMI-WASHABLE BREATHABLE WATER BASED MAT PAINT

It is a semi-washable, water vapour permeable water-based paint with good overall application properties that is specifically designed for professional use. Primavera offers a remarkable performance, good "whiteness", covering power, vapour permeability, anti-reflection, mildew and bacteria resistant and a great value.



SIZE (LITERS)		2,5	4	14
MINIMUM UNITS OF SALE		4	4	1
WHITE	€ Liter	3,84	3,23	2,51
	€ Size	9,60	12,90	35,20

FIELDS OF APPLICATION: interior  
APPLICATION: brush, roll or spray  
DILUTION: water – Max 30%  
COVERAGE: 10 -12 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT

## KELLYGOOD

### SEMI-WASHABLE WATERPAINT

It is an aesthetically pleasing matt paint for interiors with an optimum covering power. It offers a remarkable performance, good "whiteness", vapour permeability, mildew and bacteria resistant, anti-reflection, flow and smooth touch.



SIZE (LITERS)		4	14
MINIMUM UNITS OF SALE		4	1
WHITE	€ Liter	2,75	1,99
	€ Size	11,00	27,90

FIELDS OF APPLICATION: interior  
APPLICATION: brush, roll or spray  
DILUTION: water – Max 30%  
COVERAGE: 9 -10 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT

## NEWKELLY

### BREATHABLE WATERPAINT

It is a breathable paint for interiors with an optimum covering power. It offers a good "whiteness", vapour permeability, anti-reflection, mildew and bacteria resistant.



SIZE (LITERS)		4	14
MINIMUM UNITS OF SALE		4	1
WHITE	€ Liter	2,53	1,61
	€ Size	10,10	22,50

FIELDS OF APPLICATION: interior  
APPLICATION: brush, roll or spray  
DILUTION: water – Max 30%  
COVERAGE: 8 -9 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT

## ANTARES PLUS



### ACRYLIC HIGHLY WASHABLE MAT PAINT FOR EXTERIOR/INTERIOR USE

It is a highly washable emulsion paint for painting exterior and interior masonry. Its particular formulation based on acrylic resin and special additives. Some peculiarities of Antares Plus: extremely resistant against washing, anti-drip, good spreading, hiding power, together to a refined velvety matt effect that making it as an ideal product for painting prestigious interiors. The product may be tinted by means of the Kelly Color Tinting System.

#### TINT'ARREDO:

##### \* SPECIAL TINTS:

1013D - 1014T - 1024T - 1042T - 1054T - 1084T - 1102T - 3034T - 3042T - 3125P - 4163D - 5052T - 7034T - 7042T - 7053D - 7054T - 7073D - 7074T - 7084T - 7093D - 7113D - 7133D - 7162T - 7163D - 7172T



#### I COLORI DI KELLY COLOR:

##### \* SPECIAL TINTS:

361P - 390P - 397P - 411A - 431A - 438T - 445T - 500M - 501M - 505M - 508M - 523M - 531A - 535M - 536M - 537M - 545M - 548M - 549M - 552A - A164 - A166 - A167 - A168 - A172 - A173 - A174 - A175 - A178 - A182 - A184 - A186 - A190 - A192 - D27 - D30 - D39 - D46 - M110SA - M111 - M118 - M99 - P109SP - P148 - P149 - P185 - P197 - P61 - P8 - T187 - T191

##### \* STRONG TINTS:

328T - 343A - 344A - 400P - 402P - 419A - 420A - 421A - 422A - 427A - 432A - 442A - 503M - 504A - 509M - 511M - 518M - 519M - 520M - 521M - 524M - 525A - 527A - 538M - 539A - 542M - 543M - 544A - 546M - 550M - 551M - A169 - A170 - A177 - A183 - A189 - A195 - A199 - A200 - D17 - D34 - D50 - M125 - P146 - P2 - P82 - P87

##### \* SUPER TINTS:

528A - 529A - 530A - 532A - 533A

## IDROLAV LX 85



### WASHABLE EMULSION PAINT

It is an emulsion paint devised on innovative criteria, which offers good overall qualities and an effortless application. It offers an optimum "whiteness", good hiding power and washability. The special synthetic polymers in emulsion provide a good scrub resistance, ease of application, great coverage and flow. These features together with an appealing satiny effect make Idrolav lx 85 a quality finish for interiors. The product may be tinted by means of the Kelly Color Tinting System.



##### \* SPECIAL TINTS:

1013D - 1014T - 1015P - 1023D - 1024T - 1042T - 1053D - 1054T - 1061P - 1083D - 1084T - 1102T - 1103D - 1115P - 1122T - 1123D - 1132T - 1133D - 1153D - 3013D - 3014T - 3015P - 3023D - 3034T - 3042T - 3043D - 3131P - 3145P - 4025P - 4033D - 4043D - 4052T - 4055P - 4075P - 4155P - 4162T - 4163D - 5034T - 5093D - 5131P - 7031P - 7034T - 7042T - 7053D - 7054T - 7073D - 7074T - 7081P - 7084T - 7093D - 7113D - 7132T - 7151P - 7162T - 7172T - 7243D

##### \* STRONG TINTS: 1113D - 7133D - 7163D

SIZE (LITERS)		0,750	2,5	5	15
MINIMUM UNITS OF SALE		6	1	1	1
WHITE BASE P	€ Liter	15,07	9,60	7,76	6,98
	€ Size	11,30	24,00	38,80	104,70
140 BLACK 30 YELLOW OC. 90 RED IN. 50 GROUND S. 100 GREEN OL. 120 BLUE SC. 10 YELLOW L.	€ Liter	21,20			
	€ Size	15,90			
COLORED	€ Liter	16,93	11,28	9,02	8,12
	€ Size	12,70	28,20	45,10	121,80
SPECIAL TINTS*	€ Liter	19,73	14,92	12,72	11,65
	€ Size	14,80	37,30	63,60	174,80
STRONG TINTS*	€ Liter	24,40	19,60	17,40	16,34
	€ Size	18,30	49,00	87,00	245,20
SUPER TINTS*	€ Liter	30,66	25,84	23,66	22,60
	€ Size	23,00	64,60	118,30	339,00
BASE M	€ Liter	13,87	8,44	6,58	5,87
	€ Size	10,40	21,10	32,90	88,00
BASE A	€ Liter	13,20	7,76	5,58	4,86
	€ Size	9,90	19,40	27,90	72,90

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: water - max 30%

COVERAGE: 12-14 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT

REFERENCE COLORS CARD: Tint'Arredo, I colori di Kelly Color

SIZE (LITERS)		0,750	5	15
MINIMUM UNITS OF SALE		6	1	1
WHITE BASE P	€ Liter	14,00	6,90	5,99
	€ Size	10,50	34,50	89,80
COLORED INTERIOR	€ Liter	14,67	7,78	6,61
	€ Size	11,00	38,90	99,10
SPECIAL TINTS*	€ Liter	15,46	8,84	7,91
	€ Size	11,60	44,20	118,70
STRONG TINTS*	€ Liter	22,27	15,78	14,68
	€ Size	16,70	78,90	220,30
BASE M	€ Liter	13,33	5,94	5,01
	€ Size	10,00	29,70	75,20
BASE A	€ Liter	11,73	4,62	3,93
	€ Size	8,80	23,10	59,00

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: water - max 50%

COVERAGE: 11-13 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT

REFERENCE COLORS CARD: Tint'Arredo

# WALL INTERIOR PAINTS

**WASHKELLY** (with Preventol®)



## WASHABLE - BREATHABLE EMULSION PAINT

It is a washable paint, which features an optimum breathability, covering power and a broad-spectrum of action which protects the dry film against moulds. It's specific for interiors such as kitchens, bathrooms, cellars etc., where hygiene and protection against fungi and moulds is of utmost importance. Washkelly provides all the fundamental qualities of a paint for interiors such as an optimum hiding power, substrate adhesion, good brushability, flow and matting. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		0,750	4	14
MINIMUM UNITS OF SALE		6	1	1
WHITE BASE P	€ Liter	13,33	6,75	5,62
	€ Size	10,00	27,00	78,70
INTERIOR COLORED	€ Liter	13,73	7,08	6,21
	€ Size	10,30	28,30	86,90
SPECIAL TINTS	€ Liter	15,60	8,35	7,32
	€ Size	11,70	33,40	102,50
BASE M	€ Liter	12,40	5,73	4,70
	€ Size	9,30	22,90	65,80
<b>NEW</b> PLUS PREVENTOL	€ Liter		7,03	5,85
	€ Size		28,10	81,90

\* **SPECIAL TINTS:** 1102T - 1103D - 1113D - 1122T - 1123D - 1132T - 1133D - 1153D - 3023D - 3135P - 3145P - 4161P - 4162T - 5093D - 5131P - 7031P - 7054T - 7061P - 7081P - 7132T - 7162T

\* **NOT AVAILABLE TINTS:** 1023D - 1053D - 1083D - 1123D - 3033D - 3043D - 4043D - 5033D - 7053D - 7073D - 7093D - 7113D - 7133D - 7163D - 7243D

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: water - max 30%

COVERAGE: 10-12 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT

REFERENCE COLORS CARD: Tint'Arredo,

## PAINT

### WASHABLE - BREATHABLE EMULSION PAINT FOR INTERIOR

It offers "whiteness", good hiding power and washability. The special synthetic polymers in emulsion provide a good scrub resistance, ease of application and flow. These features together with an appealing matt effect make Paint a quality finish for interiors.



SIZE (LITERS)			4	14
MINIMUM UNITS OF SALE			1	1
WHITE	€ Liter		4,93	4,07
	€ Size		19,70	57,00
<b>NEW</b> PLUS PREVENTOL	€ Liter		5,18	4,28
	€ Size		20,70	59,90

FIELDS OF APPLICATION: interior

APPLICATION: brush, roll or spray

DILUTION: water - max 30%

COVERAGE: 9-10 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT



## IDROREP JX 90



### WATER-REPELLENT BREATHABLE EMULSION

It is a water paint for exterior and interior with a remarkable breathability (over 90%), hiding power and optimum whiteness. Indeed the remarkable breathability makes Idrorep Jx 90 particularly suitable for the painting when the environmental requirements recommend it, as it controls water vapour migration impeding condensation. It also features a good brushability and flow resulting in a smooth velvety surface. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)					5	15
MINIMUM UNITS OF SALE					1	1
WHITE	€ Liter				7,14	6,20
	€ Size				35,70	93,00
INTERIOR COLORED	€ Liter				8,34	7,17
	€ Size				41,70	107,60
SPECIAL TINTS*	€ Liter				8,94	8,02
	€ Size				44,70	120,30
STRONG TINTS*	€ Liter				15,86	14,79
	€ Size				79,30	221,90
BASE M	€ Liter				6,22	5,28
	€ Size				31,10	79,20
BASE A	€ Liter				4,76	4,05
	€ Size				23,80	60,70

\* **SPECIAL TINTS** : 1013D - 1014T - 1015P - 1023D - 1024T - 1042T - 1053D - 1054T - 1061P - 1083D - 1084T - 1102T - 1103D - 1115P - 1122T - 1123D - 1132T - 1133D - 1153D - 3013D - 3014T - 3015P - 3023D - 3034T - 3042T - 3043D - 3131P - 3145P - 4025P - 4033D - 4043D - 4052T - 4055P - 4075P - 4155P - 4162T - 4163D - 5034T - 5093D - 5131P - 7031P - 7034T - 7042T - 7053D - 7054T - 7073D - 7074T - 7081P - 7084T - 7093D - 7113D - 7132T - 7151P - 7162T - 7172T - 7243D

\* **STRONG TINTS** : 1113D - 7133D - 7163D

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: water - max 50%

COVERAGE: 11-13 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT

REFERENCE COLORS CARD: Tint'Arredo

## TITANCOLOR MANO UNICA



### WATER-REPELLENT BREATHABLE EMULSION

It is a water paint recommended for indoor with high humidity. Titancolor M.U. has an optimum hiding power (it can be considered a paint "One Coat"), substrate adhesion, good brushability, flow and matting. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)					4	14
MINIMUM UNITS OF SALE					1	1
WHITE	€ Liter				6,70	5,55
	€ Size				26,80	77,70
INTERIOR COLORED	€ Liter				7,18	6,10
	€ Size				28,70	85,40
TINTE SPECIAL*	€ Liter				7,58	6,49
	€ Size				30,30	90,80

\* **SPECIAL TINTS** : 3135P - 3145P - 4161P - 5131P - 7031P - 7061P

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: water - max 30%

COVERAGE: 10-12 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT

REFERENCE COLORS CARD: Tint'Arredo

## IDROREP JX 60

### WATER-REPELLENT BREATHABLE EMULSION

It is a water-repellent paint for indoor with hiding power, good brushability, flow and matting. It is recommended for painting bathrooms and kitchens.



SIZE (LITERS)					5	15
MINIMUM UNITS OF SALE					4	1
WHITE	€ Liter				5,04	4,02
	€ Size				25,20	60,30

FIELDS OF APPLICATION: interior

APPLICATION: brush, roll or spray

DILUTION: water - max 30%

COVERAGE: 9-10 m<sup>2</sup>/lt one coat IN DIPENDANCE OF THE SUPPORT

# MILDEW RESISTANT / HUMIDITY RESISTANT LINE

## TRASPIMUR ANTICONDENSA (with Preventol®)



### THERMO-INSULATING ANTI-CONDENSATION SOUND-DEADENING PAINT

It is a paint for interiors, which resolves, thanks to the special insulating micro-particles, the problems related to thermal/acoustic insulation. Traspimur Anticondensa forms a barrier on the plaster which reduces the thermal transfer between the ambient and substrate, resulting in a decrease in the thermal dispersion and consequent saving in heating. The hot and humid air of interiors condensates with the cold walls painted with traditional emulsion paints creating the conditions for mould growth. Thermal insulation inhibits condensation and the consequent mould growth whilst guaranteeing breathability. It is the perfect product for the treatment of particularly humid premises such as kitchens, bathrooms, laundries, swimming pools etc. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		0,750	5	14
MINIMUM UNITS OF SALE		6	4	1
WHITE BASE P	€ Liter	18,80	11,04	10,28
	€ Size	14,10	55,20	143,90
COLORED Off White	€ Liter	19,33	11,26	10,44
	€ Size	14,50	56,30	146,20

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush or roll

DILUTION: water - max 20%

COVERAGE: 4-5 m²/lit two coats

REFERENCE COLORS CARD: Tint'Arredo

## TRASPIMUR PAINT (with Preventol®)



### MILDEW RESISTANT SANITARY WATER PAINT

It is a wall paint with over 90% of water vapor permeability (UNI 9396) and a highly transpirable satin finish, with a powerful non toxic germicide which guarantees local disinfection and protection against mildew. Ideal for humid areas prone to mildew: hospitals, bathrooms, kitchens, cellars, food factories, dairy factories and public gathering areas. Improves sanitary conditions. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		5	14
MINIMUM UNITS OF SALE		4	1
WHITE BASE P	€ Liter	6,70	5,94
	€ Size	33,50	83,10
COLORED Off White	€ Liter	7,02	6,11
	€ Size	35,10	85,50

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: water - max 30%

COVERAGE: 9-10 m²/lit one coat

REFERENCE COLORS CARD: Tint'Arredo

## TRASPIMUR SPRAY

### MILDEW RESISTANT DISINFECTANT SOLUTION

Wide spectrum bactericidal and fungicidal water solution for disinfecting indoor plastering. Non toxic, biodegradable, sprayed directly on mildew stains preferably after scrubbing.



SIZE (LITERS)		1	5
MINIMUM UNITS OF SALE		6	1(*)
COLORLESS	€ Liter	9,90	6,00
	€ Size	9,90	30,00

FIELDS OF APPLICATION: interior

APPLICATION: brush or spray

DILUTION: ready to use

COVERAGE: 8-9 m²/lit one coat

(\*) Confezione priva di erogatore spray

## TRASPIMUR PLUS

### MILDEW RESISTANT, BACTERIA RESISTANT ADDITIVE FOR INTERIOR WATER PAINTS

It gives high mildew and bacteria resistance to all types of interior water paints. One 250 ml. can is sufficient for 4 Lt. of water paint. Preferably added before thinning.



SIZE (LITERS)		0,250
MINIMUM UNITS OF SALE		6
COLORLESS	€ Liter	65,60
	€ Size	16,40

## TRASPIMUR PLUS ESTERIOR

### MILDEW RESISTANT, BACTERIA RESISTANT AND ANTI-ALGAE ADDITIVE FOR EXTERIOR WATER PAINTS

It gives an effective action protecting the surface against the growth of mildew, bacteria and algae, to all types of exterior water paints. One 250 ml. can is sufficient for 4 Lt. of water paint. Preferably added before thinning.



SIZE (LITERS)		0,250
MINIMUM UNITS OF SALE		6
COLORLESS	€ Liter	82,00
	€ Size	20,50

## GUAINGUM

### WATERPROOFING LIQUID MEMBRANE FOR OUTDOOR

It is a single-component colored liquid membrane waterproofing for outdoor. Ready to use, once dried it creates a continuous and waterproofing membrane, resistant to UV, atmospheric agents. The synthetic resins in aqueous dispersion that compose it give the film Guaingum a high elasticity, able to resist to any expansion of the support. It is ideal in treating horizontal, inclined or vertical surfaces such as flat roofs, old bituminous surfaces, terraces, balconies and cornices. It guarantees the walkability necessary for normal maintenance. Guaingum is approved for encapsulating asbestos cement surfaces.



SIZE (LITERS)		0,750	2,5	5	14
MINIMUM UNITS OF SALE		6	4	1	1
WHITE GREEN GREY RED	€ Liter	12,67	9,80	8,66	8,05
	€ Size	9,50	24,50	43,30	112,70

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: ready to use or water - max 5%  
COVERAGE: 0,5-2 m<sup>2</sup>/lt one coat

## GUAINGUM FIBRATO

### WATERPROOFING FIBER-REINFORCED LIQUID MEMBRANE FOR OUTDOOR

Water elastomeric fiber-reinforced covering that can be stepped, endowed of excellent elasticity and atmospheric agents resistance. Particularly suitable to impermeabilize roof and balcony, realized with a certain incline that does not permit water stagnation.



SIZE (LITERS)			5	14
MINIMUM UNITS OF SALE			1	1
GREY RED WHITE	€ Liter		10,58	9,99
	€ Size		52,90	139,80

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: ready to use or water - max 5%  
COVERAGE: 0,5-2 m<sup>2</sup>/lt one coat

## KELLY ELASTIC BT

### BITUMINOUS ELASTOMERIC WATER-BASED LIQUID MEMBRANE

Kelly Elastic BT, is a ready-to-use thixotropic, semi-thick black paste, made by emulsifying selected distilled bitumens, additives and specific rubber materials that provide the product, once dry, with exceptional waterproofing, adherence, elasticity, anti-aging, anti UV and weatherproofing qualities.



FORMATO ( kg )		1	5	10	18
MINIMUM UNITS OF SALE		6	1	1	1
BLACK RED	€ Kg	7,80	6,04	5,29	4,44
	€ Size	7,80	30,20	52,90	80,00

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: ready to use  
COVERAGE: 3 kg/mq two coats approximately in function of the support

# WATERPROOFING BUILDING LINE

## TEGUM



### QUARTZ ELASTOMERIC PAINT

Thanks to a remarkable elasticity, Tegum is specific for the restoration of cracked walls. It features optimum filling/covering power, alkaline inertia, adhesion (on clean and dry surfaces) and low dirt pick-up due to a self-reticulating substance which reacts under sunlight increasing surface hardness without reducing the film's elasticity. It offers an excellent resistance to atmospheric agents, low water absorption, good water vapour permeability and carbon dioxide impermeability. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)				5	14
MINIMUM UNITS OF SALE				1	1
GREY RED WHITE BASE P	€ Liter			7,98	7,19
	€ Size			39,90	100,60
PASTEL COLORED	€ Liter			8,50	7,70
	€ Size			42,50	107,80
SPECIAL TINTS*	€ Liter			10,32	9,53
	€ Size			51,60	133,40

\* **SPECIAL TINTS:** 391P - 392P - 445T - 508M - 519M - 520M - 523M - 524M - 535M - 538M - 548M - 549M - 551M - A172 - A173 - A174 - A175 - A189 - P109SP - P197 - P23 - P3 - P38 - P73 - T187

\* **COLOURS PRODUCED WITH ADDITIONAL PRICE OF 15% ON A SPECIAL COLOURS**  
521M - 536M - 537M - 550M

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: water - max 30%  
COVERAGE: 4-6 m<sup>2</sup>/lt two coats  
REFERENCE COLORS CARD: I colori di Kelly Color

## TEGUM FONDO

### INTERMEDIATE ELASTOMERIC PRIMER

It is a fiber-reinforced primer used before painting with Tegum. It is suitable to treat microshrinkages and cracks caused by vibration of the structure or expansion due to different thermal coefficients of materials.



SIZE (LITERS)				5	14
MINIMUM UNITS OF SALE				1	1
WHITE	€ Liter			8,38	7,52
	€ Size			41,90	105,30

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: water - max 20%  
COVERAGE: 8-10 m<sup>2</sup>/lt one coat

## KELLYSILICON ANTIPIOGGIA

### WATER REPELLENT SILOXANIC TRANSPARENT PROTECTIVE

It is a non film-forming hydrophobic finish which is resistant to alkali and atmospheric agents. Its an excellent water repellent treatment for vertical mural surfaces in general (concrete, plaster, bricks, wooden or asbestos cement panels and stone). Kelly Silicon Antipioggia penetrates deeply into the substrate without altering the water vapour permeability, creating a water repellent barrier. Kelly Silicon Antipioggia is the perfect product for listed buildings or buildings of architectural interest as it does not alter the original aesthetics (colour and gloss) of facades.



SIZE (LITERS)			1	5	16
MINIMUM UNITS OF SALE			6	2	1
COLORLESS	€ Liter		12,90	11,72	10,11
	€ Size		12,90	58,60	161,80

FIELDS OF APPLICATION: exterior  
APPLICATION: brush or spray  
DILUTION: ready to use  
COVERAGE: 7-9 m<sup>2</sup>/lt one coat

## KELLYSILICON EXPORT

It is a transparent product that produce an opaque film with excellent adhesion, elasticity and resistance to chemical-atmospheric agents. Its protective film waterproofs the substrate whilst permitting water vapour transpiration. Kelly Silicon Export is a versatile product, ideal for the protection and preservation of end items in marble or stones with poor porosity.



SIZE (LITERS)			1	5	20
MINIMUM UNITS OF SALE			12	1	1
COLORLESS	€ Liter		6,10	3,94	2,95
	€ Size		6,10	19,70	58,90

FIELDS OF APPLICATION: exterior - interior  
APPLICATION: brush or spray  
DILUTION: ready to use  
COVERAGE: 7-9 m<sup>2</sup>/lt one coat

## KELLYSTUC

### PASTE FILLER FOR WOOD AND WALLS

White paste filler suitable to stucco bricks and cracks on walls and wood. It doesn't crack. To use exclusively interior. Excellent filling power, it can be worked with dry sand paper.



SIZE (KILOGRAMS)		0,250	0,500	1	5	25
MINIMUM UNITS OF SALE		12	6	6	2	1
WHITE	€ Kg	9,20	5,60	3,60	2,56	1,89
	€ Size	2,30	2,80	3,60	12,80	47,20
WOT	€ Kg		7,20	4,90	3,94	
	€ Size		3,60	4,90	19,70	

FIELDS OF APPLICATION: interior  
APPLICATION: steel trowel  
DILUTION: ready to use

## RASAMUR NTK

### READY-USE STUCCO

Paste filler containing vinyl resin in aqueous emulsion. Given its specific formulation with calcium carbonates and inert powders, the product is easy to sand when dry. Excellent filler. Rasamur Ntk can be used to fill and skim interiors only.



SIZE (KILOGRAMS)					5	20
MINIMUM UNITS OF SALE					4	1
WHITE	€ Kg				2,36	1,45
	€ Size				11,80	29,00

FIELDS OF APPLICATION: interior  
APPLICATION: steel trowel  
DILUTION: ready to use

## RASASTUC

### WHITE POWDER FILLER

White filler in powder to mix with water for filling and smoothing cracks. Easy to apply, does not cause cracks also if applied with a relatively large thickness. Rasastuc is suitable for smoothing large wall surfaces or to fill holes and cracks in the walls and wood. For internal use only.



SIZE (KILOGRAMS)				1	5	20
MINIMUM UNITS OF SALE				24	5	1
WHITE	€ Kg			1,80	1,42	1,28
	€ Size			1,80	7,10	25,50

FIELDS OF APPLICATION: interior  
APPLICATION: steel trowel  
DILUTION: 2 parts of the product and 1 part of water

## PLASTIC PROP

### PREMIXED PLASTIC MORTAR

Powder to be mixed with water. Used for simple reparations- restoration of outdoor plastering and filling of facades prior to painting.



SIZE (KILOGRAMS)				1	5	20
MINIMUM UNITS OF SALE				24	5	1
WHITE	€ Kg			2,30	2,08	1,80
	€ Size			2,30	10,40	35,90

FIELDS OF APPLICATION: exterior  
APPLICATION: steel trowel  
DILUTION: 2 parts of the product and 1 part of water  
COMPLETE DRY: after 1 hour



## ECOFIX NANO-TECH

**NEW**

### UNIVERSAL PRIMER

It is an impregnating primer for interior/exterior surfaces which, thanks to the nanometric dimensions of its particles, facilitates deeper penetration in walls. This outstanding process inhibits the chalking & decay of unsound plasters favouring the adherence of the finishing products on the consolidated substrate. ECOFIX NANO-TECH reduces & uniform the absorption of the mural surface resulting in improved aesthetics. These remarkable properties make ECOFIX NANO-TECH an excellent alternative to the best solvent based insulators. It is therefore an excellent primer when finishing with latex paints or thick coat



SIZE (LITERS)		1			5	20
MINIMUM UNITS OF SALE		6			1	1
COLORLESS	€ Liter	10,20			8,98	8,23
	€ Size	<b>10,20</b>			<b>44,90</b>	<b>164,60</b>

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: water: Exterior max 50% - Interior max 100%  
COVERAGE: 8-10 m<sup>2</sup>/lt one coat

## ECOFIX PIGMENTATO

### PIGMENTED PRIMER WITH OPTIMUM HIDING POWER

It is a pigmented sealer suitable for the preparation of exterior/interior mural surfaces to be finished with traditional emulsion paints, plastic coatings or mineral paints. It offers a remarkable filling power, optimum hiding power and anchorage. In fact, its fixative and hiding power is often such that one of the finishing coats can be saved. Ecofix pigmentato is ideal for application on highly absorbent substrates (gypsum, tuff etc.). It's also suitable for smoothing stucco work and the recoating of surfaces painted with strong colours. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)					5	15
MINIMUM UNITS OF SALE					1	1
WHITE	€ Liter				9,38	8,00
	€ Size				<b>46,90</b>	<b>120,00</b>

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: water: Exterior max 50% - Interior max 100%  
COVERAGE: 7-8 m<sup>2</sup>/lt one coat

## RUBBER PRIMER

### SOLVENT BASED INSULATING PRIMER

It is an impregnating primer for exterior walls which, thanks to an attentive choice of solvents, offers a deep penetration through the superficial pores. As the solvents evaporate a strong and lasting film is formed. This film inhibits chalking and the decaying process of unsound plaster favouring the adherence of the finishing products on the consolidated surfaces. Rubber Primer reduces and uniform surface absorption resulting in an aesthetically pleasing finish. Free of water, it can be applied even at an ambient temperature of below 0°C and stored without particular precautions. It is the perfect primer for finishes with emulsion paints or hydro plastic coatings and can be applied on all sorts of surfaces. Rubber Primer is to be used in the cycle of encapsulating asbestos cement surfaces.



SIZE (LITERS)			1		5	25
MINIMUM UNITS OF SALE		6			1	1
COLORLESS	€ Liter		10,80		9,14	8,21
	€ Size		<b>10,80</b>		<b>45,70</b>	<b>205,30</b>

FIELDS OF APPLICATION: exterior  
APPLICATION: brush, roll or spray  
DILUTION: Ready to use  
COVERAGE: 10-12 m<sup>2</sup>/lt one coat



**SUPERFOND AL TITANIO****PIGMENTED PRIMER WITH HIDING POWER**

It is an impregnating pigmented primer suitable as an undercoat, for emulsion paints and plastic coatings. Apart from the normal properties found in impregnating agents (substrate penetration, sealing effect, alkalinity barrier on concrete) the hiding power of this product is such that one of the finishing coats can be saved. Superfond is ideal for application on highly absorbent substrates (gypsum, tuff etc.). It's also suitable for smoothing stucco work and the recoating of surfaces painted with strong colours. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		0,750		5	15
MINIMUM UNITS OF SALE		6		1	1
WHITE	€ Liter	14,40		7,74	6,71
	€ Size	10,80		38,70	100,70

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: water: Exterior max 50% - Interior max 100%

COVERAGE: 7-8 m<sup>2</sup>/lt one coat

**ACRILFIX****ACRYLIC INSULATING IMPREGNATING AGENT (DILUTABLE 1/10)**

It is an impregnating primer for interior/exterior walls featuring an optimum binding power, alkali and water resistance. Following evaporation, a resistant film is created which impedes the chalking and decay of unsound plaster favouring the adherence of the finishing products on the consolidated substrate. These remarkable properties make Acrifix an excellent primer for emulsion paints and plastic coatings. For outdoor DILUTION should not exceed 1/5 and also to cover smoke stains and grease.



SIZE (LITERS)			1	5	20
MINIMUM UNITS OF SALE			12	1	1
COLORLESS	€ Liter		7,80	6,44	5,64
	€ Size		7,80	32,20	112,70

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush or spray

DILUTION: water: Exterior 1/5 - Interior 1/8

COVERAGE: 10-12 m<sup>2</sup>/lt one coat

**ISOFIX****WATER BASED INSULATING PRIMER (DILUTABLE 1/5)**

Insulating fixer for water based paints. Can be used as stabilizer for plaster and chalk.



SIZE (LITERS)			1	5	20
MINIMUM UNITS OF SALE			12	1	1
COLORLESS	€ Liter		6,30	4,14	3,40
	€ Size		6,30	20,70	68,00

FIELDS OF APPLICATION: interior

APPLICATION: brush or spray

DILUTION: water: Interior 1/5

COVERAGE: 8-10 m<sup>2</sup>/lt one coat

**MURALGIPS FONDO****NEW****SKIN COAT PUTTY WITH FINE PLASTER EFFECT FOR INTERIORS.**

It is used as a white filling undercoat and it is particularly suitable to cover small imperfections on wall surfaces giving a fine plaster appearance. It is the ideal undercoat on smooth surfaces, such as plasterboard, to roughen the substrate before applying a coating with antique effect.

SIZE (LITERS)				4	14
MINIMUM UNITS OF SALE				1	1
WHITE	€ Liter			3,00	2,61
	€ Size			12,00	36,50

FIELDS OF APPLICATION: interior

APPLICATION: brush

DILUTION: ready to use

COVERAGE: 8-10 m<sup>2</sup>/lt one coat

# PLASTIC COATINGS

## QUARTZ K 97



### EXTRA FINE PLASTIC COATING

It is a quartz fine emulsion paint. The acrylic resin used as a binder lends an excellent resistance to alkali and atmospheric agents together with a remarkable adherence. Quartz K 97 features an optimum filling power and matt aspect. These remarkable properties together with the optimum covering power, brushability, scrubbing and wash resistance make this finishing product specific for the protection and decoration of new buildings and refurbishing. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		0,750	5	15
MINIMUM UNITS OF SALE		6	1	1
WHITE BASE P	€ Liter	14,53	7,88	6,78
	€ Size	10,90	39,40	101,70
COLORED	€ Liter	15,90	9,64	8,20
	€ Size	11,90	48,20	123,00
SPECIAL TINTS*	€ Liter	19,46	13,12	11,46
	€ Size	14,60	65,60	172,00
STRONG TINTS*	€ Liter	22,80	16,16	15,16
	€ Size	17,10	80,80	227,40
SUPER TINTS*	€ Liter	29,73	23,04	22,01
	€ Size	22,30	115,20	330,10
BASE M	€ Liter	13,60	6,50	5,62
	€ Size	10,20	32,50	84,30
BASE A	€ Liter	13,07	5,80	4,91
	€ Size	9,80	29,00	73,70

\* **SPECIAL TINTS:** 341A - 343A - 365P - 390P - 393P - 394P - 397P - 400P - 402P - 411A - 422A - 436A - 502M - 508M - 511M - 518M - 523M - 537M - 539A - 544A - 546M - 548M - 549M - 550M - A164 - A172 - A174 - A175 - A177 - A178 - A182 - A184 - A190 - A192 - A195 - D17 - D46 - M118 - M125 - P101SP - P109SP - P149 - P185 - P197 - P2 - P57 - P82 - P87 - T187 - T191

\* **STRONG TINTS:** 419A - 421A - 431A - 432A - 442A - 445T - 500M - 501M - 504A - 509M - 519M - 521M - 536M - 538M - 542M - 543M - A199 - M110SA - M111 - P146

\* **SUPER TINTS:** 525A - 527A - 528A - 529A - 530A - 531A - 532A - 533A - 552A - A200

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush or roll

DILUTION: water - max 40%

COVERAGE: 3-5 m<sup>2</sup>/lt two coats IN DIPENDANCE OF THE SUPPORT

REFERENCE COLORS CARD: I colori di Kelly Color; Rivestimenti Murali

## QUARTZ K 97 INTONACHINO ANTIALGA



### 1.2 MM ACRYLIC ANTI-MOULD ANTI-ALGAE TEXTURED WALL COATING

It is an outdoor wall coating, with an acrylic binder base with a compact finish effect. Creates a rough layer of considerable thickness, resistant to the aggressive action of atmospheric agents.

Thanks to its curved granules, it offers filling and masking powers that allow it to smooth an uneven support surface. Produces a finish very similar to that of mineral plasters, and may be applied wherever the support surface has aesthetic or absorption irregularities.

The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)			5	25
MINIMUM UNITS OF SALE			1	1
WHITE BASE P	€ Kg		3,96	3,04
	€ Size		19,80	76,00
COLORED	€ Kg		4,24	3,32
	€ Size		21,20	83,00
SPECIAL TINTS*	€ Kg		4,74	3,82
	€ Size		23,70	95,60
STRONG TINTS*	€ Kg		5,42	4,50
	€ Size		27,10	112,60
SUPER TINTS*	€ Kg		6,74	5,82
	€ Size		33,70	145,40

FIELDS OF APPLICATION: exterior

APPLICATION: steel trowel

DILUTION: ready to use

COVERAGE: 0,65-0,68 m<sup>2</sup>/Kg one coat approximately in function of the support

REFERENCE COLORS CARD: I colori di Kelly Color; Rivestimenti Murali

#### AVAILABLE COLOR

\* **COLORED:** 302P - 311P - 312P - 321T - 325P - 327P - 328T - 337T - 338P - 358P - 359P - 361P - 365P - 368P - 385P - 386P - 387P - 389P - 390P - 391P - 392P - 393P - 394P - 395P - 418A - 505M - 506M - 507M - 514M - 547M - 548M - A153 - A156 - A157 - A158 - A171 - A180 - A186 - A188 - A196 - D29 - M108SP - M110 - M111 - M113 - M113SP - M117 - M119 - M119SP - M12 - M122 - M123 - M124 - M22 - M33 - M51 - M52 - M89 - M90 - M92 - M96 - M98 - M99 - P100 - P101SP - P102 - P103 - P104 - P105 - P106 - P106SP - P107 - P107SP - P108 - P109SP - P147 - P148 - P149 - P150 - P151 - P152 - P160 - P161 - P185 - P197 - P20 - P202 - P23 - P24 - P28 - P3 - P32 - P35 - P37 - P38 - P4 - P40 - P42 - P43 - P45 - P47 - P48 - P55 - P56 - P58 - P59 - P6 - P61 - P62 - P63 - P64 - P66 - P67 - P68 - P69 - P7 - P70 - P71 - P72 - P73 - P74 - P76 - P77 - P78 - P81 - P83 - P9 - T165 - T187

\* **SPECIAL TINTS:** 348T - 350A - 397P - 417A - 437T - 439T - 445T - 508M - 509M - 515M - 523M - 538M - 543M - 546M - 549M - 550M - A172 - A173 - A174 - A175 - A178 - A181 - A183 - A189 - A190 - D11 - D14 - D15 - D36 - GOX109 - GOX13 - M112 - M114 - M115 - M118 - M121 - M5 - P155 - P31 - P60 - P8 - P87

\* **STRONG TINTS:** 341A - 400P - 402P - 427A - 431A - 436A - 438T - 449A - 511M - 518M - 519M - 520M - 524M - 535M - 537M - 542M - 545M - 551M - A163 - A182 - A184 - A192 - A199 - D17 - D39 - D46 - D79 - GOX18 - GOX19 - GOX26 - GOX53 - GOX75 - GOX80 - M93 - P44 - P57

\* **SUPER TINTS:** 343A - 411A - 416A - 419A - 432A - 500M - 501M - 502M - 504A - 521M - 528A - 531A - 536M - 539A - 544A - 552A - A164 - A166 - A177 - A195 - A200 - D34 - M120 - P146 - P2 - P25 - P82 - T191

\* **NOT AVAILABLE TINTS:** 334A - 420A - 421A - 422A - 442A - 503M - A167 - A168 - D50 - M110SA - M125 - M94

## QUARZO 2000 LISCIO

### QUARTZ FINE EMULSION PAINT

It is a quartz emulsion paint for exteriors composed of high resistance pigments and quartz powder with a satiny smooth finish and high filling index. The particular resins lend an optimum resistance to alkali and atmospheric agents, excellent application and adherence.



SIZE (LITERS)		4	14
MINIMUM UNITS OF SALE		4	1
WHITE	€ Liter	6,10	5,34
	€ Size	24,40	74,80

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush or roll

DILUTION: water - max 30%

COVERAGE: 5-6 m<sup>2</sup>/lt two coats IN DIPENDANCE OF THE SUPPORT

## QUARZO 2000 MEDIO L/R



### QUARTZ PLASTIC COATING

It is a quartz emulsion paint for exteriors. The particular resins lend an optimum resistance to alkali and atmospheric agents, excellent application, workability, water repellence, excellent "whiteness" and covering power. The light fast pigments also guarantee unalterable hues even on walls exposed to strong radiation and weather extremes. Thanks to the filling power of the "quartz", this product evens small irregularities and is therefore ideal for agglomerates composed of two coat plaster work or cement mortar renders. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		0,750	4	14
MINIMUM UNITS OF SALE		6	1	1
WHITE	€ Liter		5,05	4,22
	€ Size		20,20	59,20
COLORED	€ Liter	12,26	7,70	6,42
	€ Size	9,20	30,80	89,90
SPECIAL TINTS*	€ Liter	14,53	9,77	8,42
	€ Size	10,90	39,10	117,90
STRONG TINTS*	€ Liter	17,60	12,75	11,41
	€ Size	13,20	51,00	159,80
SUPER TINTS*	€ Liter	28,26	23,55	22,27
	€ Size	21,20	94,20	311,90
BASE P	€ Liter	12,40	6,75	5,71
	€ Size	9,30	27,00	79,90
BASE M	€ Liter	11,87	5,65	4,70
	€ Size	8,90	22,60	65,80
BASE A	€ Liter	11,47	5,43	4,49
	€ Size	8,60	21,70	62,80

\* **SPECIAL TINTS:** 341A - 343A - 365P - 390P - 393P - 394P - 397P - 400P - 402P - 411A - 422A - 431A - 432A - 436A - 445T - 500M - 501M - 502M - 508M - 509M - 511M - 518M - 523M - 536M - 537M - 539A - 544A - 546M - 548M - 549M - 550M - A164 - A172 - A174 - A175 - A177 - A178 - A182 - A184 - A190 - A192 - A195 - D17 - D46 - M111 - M118 - M125 - P101SP - P109SP - P149 - P185 - P197 - P2 - P57 - P82 - P87 - T187 - T191

\* **STRONG TINTS:** 419A - 421A - 442A - 504A - 519M - 521M - 538M - 542M - 543M - A199 - M110SA - P146

\* **SUPER TINTS:** 525A - 527A - 528A - 529A - 530A - 531A - 532A - 533A - 552A - A200

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush or roller alveolar

DILUTION: water - max 30%

COVERAGE: smooth 4-5 m<sup>2</sup>/lt two coats - textured 2 m<sup>2</sup>/lt two coats

REFERENCE COLORS CARD: I colori di Kelly Color; Rivestimenti Murali

# MINERAL PAINTS AND COATINGS

## SILOX K 98



### SILOXANIC EXTERIOR PAINT

It is formulated using advanced technologies based on siloxanic resin in aqueous dispersion. This feature lend a remarkable water vapour permeability, water-repellence and low water absorption. Silox K 98 does not "film", it produces a pGOLDus/transpiring matt coat which adheres perfectly to both mineral substrates and old mineral/synthetic paintwork. It is perfect for the protection and decoration of listed buildings, external plaster, breathable restoration plaster and pGOLDus materials in general. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		0,750		5	15
MINIMUM UNITS OF SALE		6		1	1
WHITE	€ Liter	17,73		11,72	10,44
	€ Size	<b>13,30</b>		<b>58,60</b>	<b>156,60</b>
BASE P	€ Liter				
	€ Size				
COLORED	€ Liter	19,86		13,70	12,14
	€ Size	<b>14,90</b>		<b>68,50</b>	<b>182,10</b>
SPECIAL TINTS*	€ Liter	23,86		16,30	14,66
	€ Size	<b>17,90</b>		<b>81,50</b>	<b>219,90</b>
STRONG TINTS*	€ Liter	29,20		21,66	20,03
	€ Size	<b>21,90</b>		<b>108,30</b>	<b>300,50</b>
SUPER TINTS*	€ Liter	34,13		26,54	24,92
	€ Size	<b>25,60</b>		<b>132,70</b>	<b>373,90</b>
BASE M	€ Liter	17,20		10,48	9,41
	€ Size	<b>12,90</b>		<b>52,40</b>	<b>141,20</b>
BASE A	€ Liter	16,53		9,30	8,15
	€ Size	<b>12,40</b>		<b>46,50</b>	<b>122,30</b>

FIELDS OF APPLICATION: exterior

APPLICATION: brush or roll

DILUTION: water - max 30%

COVERAGE: 5-6 m<sup>2</sup>/lt two coats IN DIPENDANCE OF THE SUPPORT

REFERENCE COLORS CARD: I colori di Kelly Color; Rivestimenti Murali

\*SPECIAL TINTS: 341A - 343A - 365P - 390P - 393P - 394P - 397P - 400P - 402P - 411A - 422A - 436A - 502M - 508M - 511M - 518M - 523M - 537M - 539A - 544A - 546M - 548M - 549M - 550M - A164 - A172 - A174 - A175 - A177 - A178 - A182 - A184 - A190 - A192 - A195 - D17 - D46 - M118 - M125 - P101SP - P109SP - P149 - P185 - P197 - P2 - P57 - P82 - P87 - T187 - T191

\*STRONG TINTS: 419A - 421A - 431A - 432A - 442A - 445T - 500M - 501M - 504A - 509M - 519M - 521M - 536M - 538M - 542M - 543M - A199 - M110SA - M111 - P146

\*SUPER TINTS: 525A - 527A - 528A - 529A - 530A - 531A - 532A - 533A - 552A - A200

## SILOX K 98 GRANULATO



### ACRYL-SILOXANIC FILLING FINISH

It is a micro-coating which offers a remarkable filling and covering power, excellent resistance to alkali, extreme weather, atmospheric agents and optimum substrate adhesion. It also offers a notable water vapour permeability, water repellence and low capillary water absorption. It is an innovative finish with an optimum applicability, notable scratch/wash resistance, low dirt retention hence specific for the protection/decoration of new buildings and major refurbishments.



SIZE (LITERS)		0,750		5	15
MINIMUM UNITS OF SALE		6		1	1
WHITE	€ Liter	15,87		8,84	7,82
	€ Size	<b>11,90</b>		<b>44,20</b>	<b>117,30</b>
BASE P	€ Liter				
	€ Size				
COLORED	€ Liter	17,87		11,90	10,13
	€ Size	<b>13,40</b>		<b>59,50</b>	<b>151,90</b>
SPECIAL TINTS*	€ Liter	20,67		14,62	12,64
	€ Size	<b>15,50</b>		<b>73,10</b>	<b>189,60</b>
STRONG TINTS*	€ Liter	25,07		19,06	17,11
	€ Size	<b>18,80</b>		<b>95,30</b>	<b>256,60</b>
STRONG TINTS*	€ Liter	30,80		24,60	22,65
	€ Size	<b>23,10</b>		<b>123,00</b>	<b>339,80</b>
BASE M	€ Liter	15,33		7,44	6,48
	€ Size	<b>11,50</b>		<b>37,20</b>	<b>97,20</b>
BASE A	€ Liter	14,67		6,68	5,76
	€ Size	<b>11,00</b>		<b>33,40</b>	<b>86,40</b>

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush or roll

DILUTION: water - max 30%

COVERAGE: 4-5 m<sup>2</sup>/lt two coats IN DIPENDANCE OF THE SUPPORT

REFERENCE COLORS CARD: I colori di Kelly Color; Rivestimenti Murali

\*SPECIAL TINTS: 341A - 343A - 365P - 390P - 393P - 394P - 397P - 400P - 402P - 411A - 422A - 436A - 502M - 508M - 511M - 518M - 523M - 537M - 539A - 544A - 546M - 548M - 549M - 550M - A164 - A172 - A174 - A175 - A177 - A178 - A182 - A184 - A190 - A192 - A195 - D17 - D46 - M118 - M125 - P101SP - P109SP - P149 - P185 - P197 - P2 - P57 - P82 - P87 - T187 - T191

\*STRONG TINTS: 419A - 421A - 431A - 432A - 442A - 445T - 500M - 501M - 504A - 509M - 519M - 521M - 536M - 538M - 542M - 543M - A199 - M110SA - M111 - P146

\*SUPER TINTS: 525A - 527A - 528A - 529A - 530A - 531A - 532A - 533A - 552A - A200

## SILOX K 98 INTONACHINO



It is formulated using advanced technologies based on acryl-siloxanic resin in aqueous dispersion. Silox Intonachino lends a remarkable water vapour permeability, water-repellence and low water absorption. It produces a pGOLDus/transpiring matt coat which adheres perfectly to both mineral substrates and old mineral/synthetic paintwork. Silox Intonachino offers an outstanding resistance to weather extremes and low dirt pick-up, thanks its antimould and antialgae additives. It is perfect for the protection and decoration of listed buildings, external plaster, transpiring restoration plaster and pGOLDus materials in general. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)			5		25
MINIMUM UNITS OF SALE			1		1
WHITE	€ Kg		5,80		4,71
	€ Size		29,00		117,70
BASE P	€ Kg		6,26		5,16
	€ Size		31,30		128,90
COLORED	€ Kg		7,08		5,98
	€ Size		35,40		149,60
SPECIAL TINTS*	€ Kg		8,14		7,05
	€ Size		40,70		176,20
STRONG TINTS*	€ Kg		10,18		9,10
	€ Size		50,90		227,50

FIELDS OF APPLICATION: exterior

APPLICATION: steel trowel

DILUTION: ready to use

COVERAGE: 0,64-0,69 m<sup>2</sup>/kg one coat approximately in function of the support

REFERENCE COLORS CARD: I colori di Kelly Color; Rivestimenti Murali

### AVAILABLE COLORS

- \* **COLORED:** 302P - 311P - 312P - 321T - 325P - 327P - 328T - 337T - 338P - 358P - 359P - 361P - 365P - 368P - 385P - 386P - 387P - 389P - 390P - 391P - 392P - 393P - 394P - 395P - 418A - 505M - 506M - 507M - 514M - 547M - 548M - A153 - A156 - A157 - A158 - A171 - A180 - A186 - A188 - A196 - D29 - M108SP - M110 - M111 - M113 - M113SP - M117 - M119 - M119SP - M12 - M122 - M123 - M124 - M22 - M33 - M51 - M52 - M89 - M90 - M92 - M96 - M98 - M99 - P100 - P101SP - P102 - P103 - P104 - P105 - P106 - P106SP - P107 - P107SP - P108 - P109SP - P147 - P148 - P149 - P150 - P151 - P152 - P160 - P161 - P185 - P197 - P20 - P202 - P23 - P24 - P28 - P3 - P32 - P35 - P37 - P38 - P4 - P40 - P42 - P43 - P45 - P47 - P48 - P55 - P56 - P58 - P59 - P6 - P61 - P62 - P63 - P64 - P66 - P67 - P68 - P69 - P7 - P70 - P71 - P72 - P73 - P74 - P76 - P77 - P78 - P81 - P83 - P9 - T165 - T187
- \* **SPECIAL TINTS:** 348T - 350A - 397P - 417A - 437T - 439T - 445T - 508M - 509M - 515M - 523M - 538M - 543M - 546M - 549M - 550M - A172 - A173 - A174 - A175 - A178 - A181 - A183 - A189 - A190 - D11 - D14 - D15 - D36 - GOX109 - GOX13 - M112 - M114 - M115 - M118 - M121 - M5 - P155 - P31 - P60 - P8 - P87
- \* **STRONG TINTS:** 341A - 400P - 402P - 427A - 431A - 436A - 438T - 449A - 511M - 518M - 519M - 520M - 524M - 535M - 537M - 542M - 545M - 551M - A163 - A182 - A184 - A192 - A199 - D17 - D39 - D46 - D79 - GOX18 - GOX19 - GOX26 - GOX53 - GOX75 - GOX80 - M93 - P44 - P57
- \* **SUPER TINTS:** 343A - 411A - 416A - 419A - 432A - 500M - 501M - 502M - 504A - 521M - 528A - 531A - 536M - 539A - 544A - 552A - A164 - A166 - A177 - A195 - A200 - D34 - M120 - P146 - P2 - P25 - P82 - T191
- \* **NOT AVAILABLE COLORS:** 334A - 420A - 421A - 422A - 442A - 503M - A167 - A168 - D50 - M110SA - M125 - M94



# MINERAL PAINTS AND COATINGS

## MINERAL SILICAT



### SILICATE MINERAL EXTERIOR PLASTER

It is a paint based on potassium silicate in aqueous solution, formulated in compliance with the regulation DIN 18363. The film free mineral nature offers good breathability and excellent bond on lime plaster, cement mortar renders and civil plastering without flaking or detachment. These features in conjunction with the aesthetical appealing effects offer an optimum product for the refurbishing of listed buildings and buildings of architectural interest. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		0,750			5	15
MINIMUM UNITS OF SALE		6			1	1
WHITE BASE P	€ Liter	15,47			9,26	7,99
	€ Size	<b>11,60</b>			<b>46,30</b>	<b>119,90</b>
COLORED	€ Liter	17,73			12,10	10,13
	€ Size	<b>13,30</b>			<b>60,50</b>	<b>151,90</b>
SPECIAL TINTS*	€ Liter	22,40			14,88	12,92
	€ Size	<b>16,80</b>			<b>74,40</b>	<b>193,80</b>
BASE M	€ Liter	14,53			8,86	7,50
	€ Size	<b>10,90</b>			<b>44,30</b>	<b>112,50</b>
BASE A	€ Liter	13,87			7,56	6,69
	€ Size	<b>10,40</b>			<b>37,80</b>	<b>100,30</b>

\* **SPECIAL TINTS:** 391P - 432A - 536M - 549M - 550M - P109SP - P197 - P202

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush or roll

DILUTION: water - max 15%

COVERAGE: 5-7 m<sup>2</sup>/lt two coats approximately in function of the support

REFERENCE COLORS CARD: I colori di Kelly Color; Rivestimenti Murali

## PRIMER SILICAT

### SILICATE-BASED IMPREGNATING SEALER

It is a modified potassium silicate-base sealant designed to seal and consolidate walls before treating with Mineral Silicat. It reacts chemically with the surface via a process called "silicization". In this way, it consolidates and renders uniform the pGOLDSity, enabling uniform results to be achieved. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)					5	20
MINIMUM UNITS OF SALE					4	1
COLORLESS	€ Liter				6,50	5,37
	€ Size				<b>32,50</b>	<b>107,30</b>

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: ready to use

COVERAGE: 10-12 m<sup>2</sup>/lt one coat

## KELLYEPOQUE



### LIME PUTTY BASED MINERAL PAINT

It is a mineral paint based on extremely fine seasoned lime putty, synthetic binders and natural inert fillers. It can be considered a "lime whitener" formulated with the most advanced technologies. It never chalks, is permeable to water vapour and offers a remarkable resistance to mould and bacteria. KellyEpoque offers a matt finish, simple application, optimum breathability (DIN 18363) and a reasonable resistance to scouring. It is ideal for the interior/exterior decoration of listed buildings and buildings of architectural interest. The use of lime based paints is not recommended in industrial environments or on surfaces exposed to extreme rain. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		0,750			5	15
MINIMUM UNITS OF SALE		6			1	1
WHITE BASE P	€ Liter	11,20			4,98	3,74
	€ Size	<b>8,40</b>			<b>24,90</b>	<b>56,10</b>
COLORED	€ Liter	12,27			6,84	5,47
	€ Size	<b>9,20</b>			<b>34,20</b>	<b>82,00</b>
SPECIAL TINTS*	€ Liter	14,80			9,40	8,05
	€ Size	<b>11,10</b>			<b>47,00</b>	<b>120,70</b>
STRONG TINTS*	€ Liter	19,47			14,20	12,83
	€ Size	<b>14,60</b>			<b>71,00</b>	<b>192,50</b>

\* **SPECIAL TINTS:** 392P - 548M - A189 - P101SP - P109SP - P197 - P202

\* **STRONG TINTS:** 391P

**COLOURS NOT SUITABLE FOR OUTDOOR:** 431A - 432A - 445T - 535M - 536M - 549M - 550M - 551M - A172 - A173 - A174 - T187

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush or roll

DILUTION: water - max 40%

COVERAGE: 4 m<sup>2</sup>/lt two coats approximately in function of the support


REFERENCE COLORS CARD: I colori di Kelly Color; Rivestimenti Murali



## MARMOREUM

### OLD VENETIAN PLASTER

It is an eco-friendly breathable (DIN 18363), medium-grain decorative finish for interiors obtained from selected Carrara-marble aggregates and genuine slaked lime cooked in wood-fire kilns, aged for 8/10 months. Also known as marmorino, with semi-gloss look, silk-touch finish and warm, natural shadings. It is a very versatile coating: in fact, we can do with Marmoreum many applications, that we have gathered in a very beautiful brochure called TEMPTATION. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		1	8	24
MINIMUM UNITS OF SALE		1	1	1
WHITE	€ Kg	14,70	8,01	5,57
BASE P	€ Size	<b>14,70</b>	<b>64,10</b>	<b>133,70</b>
COLORED	€ Kg	17,30	10,19	6,59
	€ Size	<b>17,30</b>	<b>81,50</b>	<b>158,10</b>
SPECIAL TINTS*	€ Kg	19,20	12,10	8,52
	€ Size	<b>19,20</b>	<b>96,80</b>	<b>204,40</b>
GOLD	€ Kg	44,30	32,45	
	€ Size	<b>44,30</b>	<b>259,60</b>	

\* SPECIAL TINTS: 700D - 704D - 712D - 713C - 714B - 716D - 717C - 718B - 720D - 721C - 722B - 724D - 729C - 732D - 733C - 736D - 737C - 738B - 740D - 741C - 744D - 748D - 752D - 756D - 760D - 761C - 768D - 769C

FIELDS OF APPLICATION: interior

APPLICATION: smoothing: steel trowel 818 - final finishing: steel trowel 819

DILUTION: ready to use


COVERAGE: Marmoreum: 2 m²/Kg with 3 coats

REFERENCE COLORS CARD: Spatolati Marmorini; Tentazioni

## KELLYEPOQUE SPATOLA

### MINERAL DECORATIVE WALL COVERING

The lime-based plaster by definition. Natural look, high-gloss finish and marble effect confer to this finish soberness and timeless appeal. KellyEpoque Spatola is the perfect choice to decorate high-end interiors. It is an eco-friendly breathable (DIN 18363) product, obtained from selected marble powders and genuine slaked lime baked in wood-fire kilns and aged for 8/10 months. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		1	8	24
MINIMUM UNITS OF SALE		1	1	1
WHITE	€ Kg	14,30	7,98	5,55
BASE P	€ Size	<b>14,30</b>	<b>63,80</b>	<b>133,10</b>
COLORED	€ Kg	16,90	10,08	6,52
	€ Size	<b>16,90</b>	<b>80,60</b>	<b>156,40</b>
SPECIAL TINTS*	€ Kg	18,80	11,99	8,43
	€ Size	<b>18,80</b>	<b>95,90</b>	<b>202,40</b>
STRONG TINTS*	€ Kg	24,60	17,63	14,19
	€ Size	<b>24,60</b>	<b>141,00</b>	<b>340,60</b>
GOLD	€ Kg	43,90	32,13	
	€ Size	<b>43,90</b>	<b>257,00</b>	

\* SPECIAL TINTS: 700D - 701C - 704D - 705C - 708D - 710B - 712D - 713C - 716D - 717C - 720D - 721C - 722B - 723A - 724D - 725C - 729C - 732D - 734B - 738B - 741C - 742B - 744D - 745C - 748D - 749C - 752D - 753C - 756D - 760D - 761C - 762B - 764D - 765C - 768D - 769C

\* STRONG TINTS: 714B - 718B - 733C - 736D - 737C - 740D

FIELDS OF APPLICATION: interior

APPLICATION: smoothing: steel trowel 818 - final finishing: steel trowel 819

DILUTION: ready to use

COVERAGE: 1 m²/Kg with 3 coats

REFERENCE COLORS CARD: Spatolati Marmorini

## PRIMER EM

Waterborne primer for lime-based finishes: Marmoreum and KellyEpoque Spatola.

SIZE (LITERS)		5	15
MINIMUM UNITS OF SALE		1	1
WHITE	€ Liter	4,00	2,91
	€ Size	<b>20,00</b>	<b>43,60</b>

APPLICATION: brush or roll

DILUTION: ready to use

COVERAGE: 7 m²/Kg with 1 coat

## CERA NATURALE

It is an eco-friendly, water-based, anti-dirt product suitable for the protection of indoor mineral surfaces. Cera Naturale is composed by bees wax, pure Marseille soap and special additives. Cera Naturale enhances the brightness and the glossiness of the finishing and confers protection to the surface without altering the breath-through properties of the lime-based coating.

SIZE (KILOGRAMS)		2	
MINIMUM UNITS OF SALE		1	
COLORLESS	€ Kg	22,30	
	€ Size	<b>44,60</b>	

# DECORATIVE PAINTS

## SILOX K 98 VELATURA



### SILOXANIC DECORATIVE PROTECTIVE TREATMENT WITH ANTIQUED EFFECT

It is a masonry preservative for exterior and interior walls, based on modified siloxanic polymers and special additives, which give the product excellent permeability, together with a high level of water repellency and excellent outdoor resistance. Silox K 98 Velatura is suitable for protecting and decorating the walls of buildings of architectural interest, in restoring buildings in historical city centers and at the end of dehumidifying restoration cycles, wherever an antiquing finish is required. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		0,750	2,5	5	15
MINIMUM UNITS OF SALE		6	2	1	1
BASE A	€ Liter	18,00	12,80	10,76	10,39
	€ Size	<b>13,50</b>	<b>32,00</b>	<b>53,80</b>	<b>155,90</b>
COLORS FOLDER	€ Liter	20,13	14,92	12,46	11,12
	€ Size	<b>15,10</b>	<b>37,30</b>	<b>62,30</b>	<b>166,90</b>

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, rolls, sea sponge, glove and tampon

DILUTION: ready to use

COVERAGE: 10-15 m<sup>2</sup>/lt one coat

REFERENCE COLORS CARD: Silox K 98 Velatura

## TERRE DEL DUCA



### DECORATIVE PAINT ANTIQUE EFFECT

It is a very versatile and visually striking water-based paint for indoor use which can be used to create special antique effect, calling to mind the type of decoration seen in the country residences of Renaissance Italy. Terre del Duca can be applied to many types of surface, such as walls in cement, plaster, plaster of Paris, plasterboard, wood, iron, PVC and light alloys after a suitable treatment has been applied. Terre del Duca is breathable, with good washability and it is easy to apply. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		0,750	2,5	5	
MINIMUM UNITS OF SALE		6	2	1	
BASE A	€ Liter	34,40	23,04	20,12	
	€ Size	<b>25,80</b>	<b>57,60</b>	<b>100,60</b>	
COLORS FOLDER	€ Liter	36,53	27,48	25,18	
	€ Size	<b>27,40</b>	<b>68,70</b>	<b>125,90</b>	

FIELDS OF APPLICATION: interior

APPLICATION: brush TE 25 + spatula SD 20

DILUTION: ready to use

COVERAGE: 8 m<sup>2</sup>/lt one coat

REFERENCE COLORS CARD: Terre del Duca

## PRIMER DEL DUCA

It is a special primer to prepare the surface before Terre del Duca.

SIZE (LITERS)			2,5	5	
MINIMUM UNITS OF SALE			1	1	
WHITE	€ Liter		7,36	5,52	
	€ Size		<b>18,40</b>	<b>27,60</b>	

APPLICATION: brush or roll

DILUTION: water max 15-20%

COVERAGE: 12-14 m<sup>2</sup>/lt one coat

## ORO DEL DUCA

Elegant semi-covering golden paint that enhances the wall's structure. Oro del Duca can be used to create exclusive, antique-style environments displaying the classic Renaissance style yet in line with recent decorative trends.



SIZE (LITERS)		0,750			
MINIMUM UNITS OF SALE		1			
GOLD	€ Liter	66,53			
	€ Size	<b>49,90</b>			

FIELDS OF APPLICATION: interior

APPLICATION: brush TE 25

DILUTION: ready to use

COVERAGE: 15-20 m<sup>2</sup>/lt one coat

REFERENCE COLORS CARD: Terre del Duca

## I TESORI DEL DESERTO



### DECORATIVE LUMINESCENT EFFECT

It is an elegant, sophisticated finish for interiors which reproduces two special effects:

-a silk effect that is rich in shading and soft to the touch, and suitable for both classical settings and modern contexts.

-or reflexes sandy that recall the atmosphere of the desert.

It allows the most sophisticated decorative needs to be met, according to the user's imagination and the application technique used. It can be applied to various surfaces: concrete walls, plaster, plasterboard, wood, iron, after a suitable treatment. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		NEW			
		0,250 *	0,750	2,5	5
MINIMUM UNITS OF SALE		6	3	1	1
SILVER BASE SILK & SAND	€ Liter	75,20	68,89	56,42	51,96
	€ Size	18,80 *	49,60	135,40	249,40
MOD. GOLD BASE COPPER BASE SILK & SAND	€ Liter	87,60	80,69	69,46	65,82
	€ Size	21,90 *	58,10	166,70	314,50
COLORS FOLDER SILK & SAND	€ Liter		67,33	56,12	51,66
	€ Size		50,50	140,30	258,30
GOLD & COPPER SILK & SAND REFLEX	€ Liter	88,00	78,53	68,12	63,66
	€ Size	22,00 *	58,90	170,30	318,30
SILK & SAND SPECIAL EFFECTS	€ Liter	79,20	64,53	54,96	49,62
	€ Size	19,80 *	48,40	137,40	248,10

\* Only silk and packaging does not colored with the Tinting System

FIELDS OF APPLICATION: interior

APPLICATION: short pile roller; brush TE 25+ spatula SD 20 or steel trowel 819; brush; decor rolls; sea sponge; glove merinos; tampon.

DILUTION: ready to use or for " Effects like imprint " water max 20%

COVERAGE: spatula effect 4-6 m<sup>2</sup>/lt with 3 coats - sahara effect 10-12 m<sup>2</sup>/lt one coat  
- effects like imprint 12-16 m<sup>2</sup>/lt one coat

REFERENCE COLORS CARD: I Tesori del Deserto

## PRIMER I TESORI DEL DESERTO

Special primer to use before application of paints Treasures of the Desert Sand and Silk & Treasures & Fantasy, to enhance their decorative effects.

SIZE (LITERS)				2,5	5
MINIMUM UNITS OF SALE				1	1
WHITE	€ Liter			9,36	7,22
	€ Size			23,40	36,10

FIELDS OF APPLICATION: interior

APPLICATION: brush or roll

DILUTION: water - max 20%

COVERAGE: 16-20 m<sup>2</sup>/lt one coat

## TESORI & FANTASIA



### DECORATIVE METALLIC EFFECT

It is a special decorative painting for interiors, characterized by a refined and precious metal shade, which changes according to the light effect. You can apply with one or three different colors. In the latter case, you are amazed by the fabulous color contrasts, which give the rooms of the charming armonie. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)		0,250*	0,750	2,5	5
MINIMUM UNITS OF SALE		3	3	1	1
SILVER BASE	€ Liter	60,83	51,81	41,88	35,88
	€ Size	14,60	37,30	105,50	179,40
COLORS FOLDER	€ Liter	62,80	54,00	44,40	40,16
	€ Size	15,70	40,50	111,00	200,80
GOLD Mod. GOLD Ant. COPPER - BRONZE	€ Liter	70,42	61,81	51,88	46,96
	€ Size	16,90	44,50	124,50	225,40

\*confezione non colorabile con il Sistema Tintometrico

FIELDS OF APPLICATION: interior

APPLICATION: brush TE 25, brush, glove merinos

DILUTION: ready to use

COVERAGE: 5-6 m<sup>2</sup>/lt with 2 coats - Fantasy effect 2° ad 3° color 14-16 m<sup>2</sup>/lt one coat

REFERENCE COLORS CARD: Tesori & Fantasia


# DECORATIVE PAINTS

## ARREDO CASA



### DECORATIVE WALL COATING

It is a very versatile and visually striking water-based coating for indoor use which, thanks to three different grain sizes ( fine, medium and large), can be used to create many special effects: rustic, old spatula, sand etc. Arredo Casa can be applied to panels of wood and plasterboard, without primer, to create effect masonry. It also has great washable characteristics. The product may be tinted by means of the Kelly Color Tinting System.



SIZE (LITERS)					5	15
MINIMUM UNITS OF SALE					1	1
GR. FINE WHITE BASE P	€ Liter				7,12	5,79
	€ Size				<b>35,60</b>	<b>86,80</b>
GR. FINE COLORED	€ Liter				7,94	6,29
	€ Size				<b>39,70</b>	<b>94,30</b>
GR. FINE SPECIAL TINTS	€ Liter				10,80	9,12
	€ Size				<b>54,00</b>	<b>136,80</b>
GR. MEDIUM WHITE BASE P	€ Liter				7,30	5,99
	€ Size				<b>36,50</b>	<b>89,90</b>
GR. MEDIUM COLORED	€ Liter				8,32	6,56
	€ Size				<b>41,60</b>	<b>98,40</b>
GR. MEDIUM SPECIAL TINTS	€ Liter				11,34	9,61
	€ Size				<b>56,70</b>	<b>144,20</b>
GR. LARGE WHITE	€ Liter				6,92	5,69
	€ Size				<b>34,60</b>	<b>85,40</b>

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, steel trowel 818

DILUTION: spatula: ready to use - brush: water max 30%

COVERAGE: spatula 1,5 m<sup>2</sup>/lt one coat - brush 4-5 m<sup>2</sup>/lt two coats

REFERENCE COLORS CARD: I colori di Kelly Color

**\* TINTE SPECIAL: 431A - 432A - 445T - 515M - 519M - 521M - 535M - 536M - 537M - 549M - 550M - 551M - A172 - A173 - A174 - A175 - A189 - P109SP - P155 - P3**

## KELLYGLITTER

### ADDITIVE DECORATIVE FOR INTERIOR

It is a special additive that makes it possible to enrich paints and decorative coatings giving them a new and highly original appearance. When added to the paints I Tesori del Deserto Seta&Sabbia, Tesori&Fantasia, Silox K 98 Velatura and Terre del Duca, its gold and silver fragments enhance surfaces giving them a bright and sumptuous feel. The product can be also diluted with 350 grams of water and used above a good washable.



SIZE (LITERS)		0,08				
MINIMUM UNITS OF SALE		1				
GOLD SILVER	€ Liter	75,00				
	€ Size	<b>6,00</b>				

FIELDS OF APPLICATION: interior

APPLICATION: brush TE 25

DILUTION: ready to use or water max 350 gr

COVERAGE: 80 gr. diluted with water 10 m<sup>2</sup> one coat

## VETRIX

### GLAZING FOR FOOD CONTAINERS

Two part epoxy solvent free varnish for pots, cans, tin containing food products. Certificated USL.



SIZE (LITERS)		0,500	2,5	
MINIMUM UNITS OF SALE		6	2	
		KIT A+B		
WHITE RED	€ Liter	52,20	44,00	
	€ Size	26,10	110,00	

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush

DILUTION: ready to use or if necessary only with pure alcohol

COVERAGE: 0,5-3 m<sup>2</sup>/lt one coat

## TRASFORMER

### RUST CONVERTER

It is a product in emulsion which reacts with rust forming an anchored inert metal organic compound filler ideal as a substrate for painting. Transformer transforms rust and arrests spreading, eliminating the dusty and often difficult processes of sanding and brushing. It can also be applied to rust free iron surfaces in order to impede formation of the same. It is the perfect product for gates, gutters, radiators, car bodies, metal furniture, household appliances etc.



SIZE (LITERS)		0,250	0,500	1	
MINIMUM UNITS OF SALE		6	6	6	
WHITE	€ Liter	33,20	30,20	29,60	
	€ Size	8,30	15,10	29,60	

FIELDS OF APPLICATION: exterior - interior

APPLICATION: brush, roll or spray

DILUTION: ready to use

COVERAGE: 10-12 m<sup>2</sup>/lt one coat

## SPARTITRAFFICO

### ROAD MARKING PAINT

It is a product which is specific for road markings, with a synthetic resin base, featuring very short drying times, good adhesion and elasticity, and high abrasion resistance.



SIZE (LITERS)		0,500	2,5	16
MINIMUM UNITS OF SALE		6	2	1
WHITE	€ Liter	18,00	12,88	9,19
	€ Size	9,00	32,20	147,10
YELLOW	€ Liter	20,02	14,96	11,25
	€ Size	10,10	37,40	180,00

FIELDS OF APPLICATION: exterior

APPLICATION: brush or spray (for professional use)

DILUTION: nitro DILUTION

COVERAGE: 6-7 m<sup>2</sup>/lt one coat

## PLIOKELLY

### ODOURLESS SMOKE PROOF PAINT

It is an opaque paint for interiors with a high thixotropy and water vapour permeability. It is particularly suitable for painting stained surfaces (smoke, nicotine, soot, heating and old infiltrations). Pliokelly is odourless and is suitable for painting and decorating interiors such as kitchens, bathrooms, bars etc.. The remarkable elasticity of the film offers an effective application on treated paintwork without flaking. Unlike other traditional alkyd-based smoke-resistant products, Pliokelly dries quickly and is easy to apply.



SIZE (LITERS)		0,500	2,5	
MINIMUM UNITS OF SALE		6	2	
WHITE	€ Liter	27,00	22,56	
	€ Size	13,50	56,40	

FIELDS OF APPLICATION: interior

APPLICATION: brush, roll or spray

DILUTION: ready to use or max 15% odorless turpentine

COVERAGE: 5-7 m<sup>2</sup>/lt one coat



# STRUCTURAL SYSTEM

## RESINA BASE (A)

Epoxy structural, highly penetrating form the best barrier against humidity. With the addition of additives 1 and 2 is used for bonding and fillings.



SIZE (LITERS)	0,500	1		5	
MINIMUM UNITS OF SALE	12	6		1	
COLORLESS	€ Liter	30,60	29,10		27,28
	€ Size	15,30	29,10		136,40

FIELDS OF APPLICATION: exterior  
APPLICATION: brush  
DILUTION: ready to use  
COVERAGE: 3-4 m²/lit one coat

## INDURENTE 1 (B)

Hardener for the base resin, curing time, the standard for 4 - 6 hours.

SIZE (LITERS)	0,250	0,500		2,5	
MINIMUM UNITS OF SALE	12	6		4	
COLORLESS	€ Liter	44,80	41,20		37,36
	€ Size	11,20	20,60		93,40

catalysis ratio: 1 part INDURENTE ; 2 parts RESINA

## ADDITIVO N°1

Microfibre synthetic nature by mixing the base resin, for structural bonds.



SIZE (KILOGRAMS)		0,750			
MINIMUM UNITS OF SALE		6			
COLORLESS	€ Liter		10,27		
	€ Size		7,70		
SIZE (KILOGRAMS)			0,500	2	

MINIMUM UNITS OF SALE		6	1		
COLORLESS	€ Kg		34,80	31,95	
	€ Size		17,40	63,90	

dosage: 5/10% / weight

## ADDITIVO N°2

Microspheres to mix with the base resin to obtain a filler of the desired density.



SIZE (LITERS)		0,750			
MINIMUM UNITS OF SALE		6			
COLORLESS	€ Liter		10,13		
	€ Size		7,60		
SIZE (LITERS)			0,150	0,600	

MINIMUM UNITS OF SALE		6	1		
COLORLESS	€ Kg		103,30	90,17	
	€ Size		15,50	54,10	

dosage: 5/10% / weight

## IMPREGNANTE

Low viscosity epoxy resin formulated for the impregnation of wood, fiberglass, concrete and other porous materials even in presence of high humidity.



SIZE (LITERS)		1		2	
MINIMUM UNITS OF SALE		6		6	
		KIT A+B		KIT A+B	
COLORLESS	€ Liter		21,90		19,25
	€ Size		21,90		38,50

FIELDS OF APPLICATION: exterior - interior  
APPLICATION: brush  
DILUTION: ready to use  
COVERAGE: 8-10 m²/lit one coat






## TINTING SYSTEM MISTO (UNIVERSAL)



## TINTING SYSTEM HBX (WATER)



## TINTING SYSTEM MISTO (UNIVERSAL)

**NEW**



### ORGANIC, INORGANIC, OXIDES

BLACK OXIDE
BLUE FTALO
GREEN FTALO
GREEN CHROME
RED OXIDE
ORANGE
BRIGHT RED
WHITE
YELLOW
YELLOW OXIDE
MAGENT
BRUNO EXTRA EXTERIOR
BLUE EXTRA EXTERIOR
YELLOW EXTERIOR
RED EXTERIOR
YELLOW EXTERIOR

COD.	U.V.	LITERS	€ LITER	€ SIZE
UB	1	1	29,80	29,80
UE	1	1	30,10	30,10
UD	1	1	30,10	30,10
GY	1	1	51,10	51,10
UF	1	1	30,70	30,70
OR	1	1	41,90	41,90
UR	1	1	48,20	48,20
KX	1	1	32,70	32,70
AX	1	1	41,90	41,90
UC	1	1	28,10	28,10
UV	1	1	77,50	77,50
BOH	1	1	25,90	25,90
CBH	1	1	123,70	123,70
CBV	1	1	141,80	141,80
CGO	1	1	101,70	101,70
AN	1	1	70,90	70,90

## TINTING SYSTEM HBX (WATER)



### INORGANIC, OXIDES

WHITE
WHITE
YELLOW OXIDE
YELLOW OXIDE
BLACK OXIDE
RED OXIDE
BRUNO EXTRA EXTERIOR
VERDE CHROME
BLUE EXTRA EXTERIOR
YELLOW EXTERIOR
RED EXTERIOR
ORANGE INTERIOR
BLU INTERIOR-EXTERIOR
YELLOW INTERIOR-EXTERIOR
YELLOW INTERIOR-EXTERIOR
RED INTERIOR
PINK INTERIOR-EXTERIOR
GREEN INTERIOR-EXTERIOR
YELLOW EXTERIOR

COD.	U.V.	LITERS	€ LITER	€ SIZE
BA	1	1	23,70	23,70
BA	1	4	22,48	89,90
GOH	1	1	18,70	18,70
GOH	1	4	17,48	69,90
NOH	1	1	20,90	20,90
ROH	1	1	22,20	22,20
BOH	1	1	25,90	25,90
OCH	1	1	51,10	51,10
CBH	1	1	123,70	123,70
CBV	1	1	141,80	141,80
CGO	1	1	101,70	101,70
ARX	1	1	33,80	33,80
BGX	1	1	27,30	27,30
GGX	1	1	33,50	33,50
GGX	1	4	32,20	128,80
RBB	1	1	34,60	34,60
RFB	1	1	89,10	89,10
VGX	1	1	28,50	28,50
AN	1	1	70,90	70,90

**CPSCOLOR™**

## BANCO 16 CANISTERS

Dispensing technology: Bellow pump  
Dispensing flow: Sequential or Simultaneous  
Canister configurations: Up to 16  
Canister sizes : 2,5 (2.64 q) / 5 (1.32 G)  
Canister material: POM (Acetalic resin)  
Minimum dispensed quantity [fl.oz.] (cc): 1/384 (0,077)  
Valve type Membrane valve: BLUE Viton (water) - BLACK FFKM (universal/solvent)



NET PRICE €  
**13.900,00**

VAT EXCLUDED

*included*  
Objection setup / calibration  
PC excluded

## FIRST 1 16 CANISTERS

Dispensing technology: Bellow pump  
Dispensing flow: Sequential  
Canister configurations: Up to 16  
Canister sizes: L 2,5 (2.64 q)  
Canister material: Polypropylene  
Minimum dispensed quantity [fl.oz.] (cc): 1/384 (0,077)  
Valve type Membrane valve



NET PRICE €  
**8.000,00**

VAT EXCLUDED

*included*  
Objection setup / calibration  
PC excluded

**SANTINT**

## A2 - 100%

Dispensing Technology: piston pump  
Dispensing flow: Sequential  
Canister: 12x1,8 e 4x2,3  
Minimum dispensed quantity [fl.oz.] (cc): 1/384  
Dimension:mm 707 / 848 / 1300



NET PRICE €  
**7.000,00**

VAT EXCLUDED

*included*  
Objection setup / calibration  
PC excluded

## M3 16 CANISTERS

Dispensing technology: Piston pump  
Dispensing flow: Sequential  
Canister configurations Up to 24  
Canister sizes: L 2,3  
Canister material: Nylon  
Minimum dispensed quantity [fl.oz.] (cc): 1/384



NET PRICE €  
**2.400,00**

VAT EXCLUDED

## G36H mixer



**MANUAL**  
Gyroscopic motion  
Differential 0-35 kg

NET PRICE €  
**4.600,00**

VAT EXCLUDED

## OCTOPUS 16 CANISTERS

Dispensing technology: Piston pump  
Dispensing flow: Sequential  
Canister configurations Up to 24  
Canister sizes: L 2,7  
Canister material: Nylon  
Minimum dispensed quantity [fl.oz.] (cc): 1/384



NET PRICE €  
**5.900,00**

VAT EXCLUDED



**EDEL®**

## JAGUAR



**MANUAL** Gyroscopic motion  
Differential 0-35 kg

NET PRICE €  
**4.600,00**

VAT EXCLUDED

## SOFTWARE

### CGOLDB SHOP

**CPSCOLOR™**

Software for dispensing  
of electronic machines



NET PRICE €

**775,00**

VAT EXCLUDED

### CGOLDB SHOP DEMO

**CPSCOLOR™**

Software  
consultation of the formulas  
(Tinting System MISTO e HBX)



NET PRICE €

**250,00**

VAT EXCLUDED



**EuroFormulations**  
ADD VALUE TO COLOR MANAGEMENT

Software for dispensing  
of electronic machines consultation of the formulas  
(Tinting System HBX)



**SHOP**

NET PRICE €

**490,00**

VAT EXCLUDED

**FULL**

NET PRICE €

**800,00**

VAT EXCLUDED



### DATACOLOR Spider

NET PRICE €

**735,00**

VAT EXCLUDED



### DATACOLOR Select

NET PRICE €

**925,00**

VAT EXCLUDED



### X-RITE i1PRO

NET PRICE €

**2050,00**

VAT EXCLUDED

EuroFormulations 4 is a platform designed to be potentiabile through the implementation of vertical Modules. In a market where it is day after day more important the service level and the technological positioning of the solutions delivered, EuroFormulations 4 is the most complete instrument to apply winning strategies

**MyBarcode**: Dedicated to the creation and the reading of barcodes. The Module does not allow to erogate the colorants if the barcode of the correct product/base hasnot been read.

NET PRICE €

**65,00**

VAT EXCLUDED

**MySearch**: Dedicated to hogh-demanding end users, who want to be able to create custom colors in their shop. The color that shall be reproduce can be acquired from any source. The user-friendly interface will also display the complemetary colors.

NET PRICE €

**516,00**

VAT EXCLUDED

**MyQuality**: Dedicated to those who want to make quality controls. For the sample and the standard colors are displaied complete informations (RGB, CIELab, XYZ, Ch), together with the comparison of the two colors ( $\Delta L$ ,  $\Delta a$ ,  $\Delta b$ ,  $\Delta C$ ,  $\Delta h$ ,  $\Delta E$ ).

NET PRICE €

**516,00**

VAT EXCLUDED

## COLOURS CARDS



NET PRICE €

**7,00**

VAT EXCLUDED

**TINT'ARREDO**  
Colors card for Enamel Bellatrix and Wall Paints  
**182 tints**




NET PRICE €

**4,80**

VAT EXCLUDED

**I COLORI DEL LEGNO**  
Colors card of Kelly Color System for Bellatrix wood and Kellywood.  
**72 tints**



NET PRICE €

**3,90**

VAT EXCLUDED

**OTTOCENTO**  
Colors card Kelly Color System for Enamel Antiquing Micaceous  
**24 tints**




NET PRICE €

**3,20**

VAT EXCLUDED

**SILOX K98 VELATURA**  
Colors card Kelly Color System for siloxanic decorative paint .  
**24 tints**



NET PRICE €

**3,90**

VAT EXCLUDED

**TERRE DEL DUCA**  
Colors card Kelly Color System for antiquing paint.  
**24 tints**



NET PRICE €

**4,10**

VAT EXCLUDED

**GLI SMALTI**  
Colors card Enamels.  
**55 tints**



NET PRICE €

**4,50**

VAT EXCLUDED

**I TESORI DEL DESERTO SETA & SABBIA**  
Colors card Kelly Color System for luminescent paint with Silk & Sand effect.  
**85 tints**




NET PRICE €

**1,50**

VAT EXCLUDED

**I TESORI DEL DESERTO SETA**  
Description of other applications luminous paint.



NET PRICE €

**3,90**

VAT EXCLUDED

**TESORI & FANTASIA**  
Colors Card Kelly Color System for metallic paint.  
**77 tints**



NET PRICE €

**2,80**

VAT EXCLUDED

**GLI SPATOLATI MARMORINI**  
Colors card Kelly Color System for coatings based on lime.  
**72 tints**



NET PRICE €

**3,90**

VAT EXCLUDED

**TENTAZIONI**  
Colors card «Tentazioni».  
**52 tints.**



NET PRICE €

**29,20**

VAT EXCLUDED

**BUTTERFLY1111**  
Interior colors card  
Kelly Color System  
S.T. Misto  
**1111 tints**



NET PRICE €

**25,40**

VAT EXCLUDED

**BUTTERFLY 542**  
Exterior colors card  
Kelly Color System  
S.T. Misto  
**542 tints**



NET PRICE €

**23,00**

VAT EXCLUDED

**GMCS 660**  
Exterior and Interior colors card  
Kelly Color System  
**660 tints**



NET PRICE €

**20,90**

VAT EXCLUDED

**GMCS FASSADEN 345**  
Exterior and Interior colors card  
Kelly Color System  
**345 tints**



NET PRICE €

**30,50**

VAT EXCLUDED

**AMBIANCE PLUS**  
Exterior and Interior colors card  
Kelly Color System  
**1200 tints**



NET PRICE €

**13,00**

VAT EXCLUDED

**I COLORI DI KELLY COLOR**  
Exterior and Interior colors card  
Kelly Color System  
**300 tints**

# BUILDING AUXILIARY PRODUCTS

## U.K.C. 2000

### Salt anti-smoking / anti-stain

Water-soluble salt to be used to neutralize the spots smoke, nicotine, moisture, preventing their outcrop after application of the paint. Also can be used as a normal primer fixative.

SIZE ( KILOGRAMS )				1		
MINIMUM UNITS OF SALE				24		
	€ Kg			4,40		
	€ Size			<b>4,40</b>		

## COLLANTE PER PIASTRELLE

Powder adhesive for tiling of mortars cementitious for interior and exterior.

SIZE ( KILOGRAMS )				1	5	
MINIMUM UNITS OF SALE				24	5	
	€ Kg			1,34	1,20	
	€ Size			<b>1,34</b>	<b>6,01</b>	

## GESEO ALABASTRINO

Adhesive mineral gypsum fine indicated for grouting defects of internal structures, such as joints of tiles and adhesive for gypsum products.

SIZE ( KILOGRAMS )				1	5	
MINIMUM UNITS OF SALE				24	5	
	€ Kg			0,92	0,79	
	€ Size			<b>0,92</b>	<b>3,94</b>	

## CEMENTO WHITE

Cementitious adhesive suitable for renovations surface of masonry and fillings of various imperfections.

SIZE ( KILOGRAMS )				1	5	
MINIMUM UNITS OF SALE				24	5	
	€ Kg			1,58	1,44	
	€ Size			<b>1,58</b>	<b>7,19</b>	

## CEMENTO GRIGIO

Mineral adhesive to be mixed with sand in order to obtain a cement mortar.

SIZE ( KILOGRAMS )				1	5	
MINIMUM UNITS OF SALE				24	5	
	€ Kg			1,03	0,96	
	€ Size			<b>1,03</b>	<b>4,79</b>	

## CEMENTO RAPIDO

Suitable for making all those jobs, both inside and outside, that require hardware in a short time: masonry anchors, subframes of doors, electrical boxes, Pipelining, floors of balconies etc ..

SIZE ( KILOGRAMS )				1	5	
MINIMUM UNITS OF SALE				24	5	
	€ Kg			1,73	1,59	
	€ Size			<b>1,73</b>	<b>7,96</b>	

## STADIO EXTRA

PAINT SIGNS FOR FOOTBALL FIELDS

SIZE ( KILOGRAMS )					14	
MINIMUM UNITS OF SALE		1				
WHITE	€ Liter				2,52	
	€ Size				35,30	

## STADIO

PAINT SIGNS FOR FOOTBALL FIELDS

SIZE ( KILOGRAMS )					14	
MINIMUM UNITS OF SALE		1				
WHITE	€ Liter				2,04	
	€ Size				28,60	

## OMBRA SERRE PLUS

PAINT FOR SHADING OF GREENHOUSE

SIZE ( KILOGRAMS )					14	
MINIMUM UNITS OF SALE		1				
WHITE	€ Liter				2,56	
	€ Size				35,90	

## OMBRA SERRE

SEMI-WASHABLE WATERPAINT

SIZE ( KILOGRAMS )					14	
MINIMUM UNITS OF SALE		1				
WHITE	€ Liter				2,05	
	€ Size				28,70	

## KELLYGOOD

SEMI-WASHABLE FINE WATERPAINT

SIZE ( KILOGRAMS )			2,5			
MINIMUM UNITS OF SALE		4				
WHITE	€ Liter		3,48			
	€ Size		8,70			

## TITANKELLY

SEMI-WASHABLE FINE WATERPAINT

SIZE ( KILOGRAMS )			2,5			
MINIMUM UNITS OF SALE		4				
WHITE	€ Liter		4,44			
	€ Size		11,10			

## STELLA

SEMI-WASHABLE BREATHABLE WATERPAINT

It is a semi-washable, water vapour permeable water-based paint with good overall application properties that is specifically designed for professional use. Stella offers a remarkable performance, good "whiteness", covering power, vapour permeability, anti-reflection, mildew and bacteria resistant and a great value.

SIZE ( KILOGRAMS )				4		15
MINIMUM UNITS OF SALE		4				1
WHITE	€ Liter			3,28		2,28
	€ Size			13,10		34,20

## BIANCO DI CALCE

LIME PUTTY BASED MINERAL PAINT

SIZE ( KILOGRAMS )				5	14	
MINIMUM UNITS OF SALE		1		1		
WHITE	€ Liter			2,90	2,38	
	€ Size			14,50	33,30	

## QUARZO 2000 LISCIO EXPORT

QUARTZ FINE EMULSION PAINT

SIZE ( KILOGRAMS )				4	14	
MINIMUM UNITS OF SALE		1		1		
WHITE	€ Liter			5,92	4,81	
	€ Size			23,70	67,40	



ISO 9001  
BUREAU VERITAS  
Certification



Certificato n°: 208992



**kelly color**

**INDUSTRIA COLORI E VERNICI**

[www.kellycolor.it](http://www.kellycolor.it)

**e-mail** [info@kellycolor.it](mailto:info@kellycolor.it)

**Tel.** 0578 21349 r.a.

**Fax** 0578 20809

CITTA' DELLA PIEVE (Perugia)

 **MADE IN ITALY**